
FINAL REPORT

INVESTIGATION OF OWNERSHIP AND MAINTENANCE RESPONSIBILITIES FOR STRUCTURES SEPARATING HIGHWAY AND RAILROAD TRAFFIC



STEPHEN C. BRICH Senior Research Scientist



VIRGINIA TRANSPORTATION RESEARCH COUNCIL

FINAL REPORT

INVESTIGATION OF OWNERSHIP AND MAINTENANCE RESPONSIBILITIES FOR STRUCTURES SEPARATING HIGHWAY AND RAILROAD TRAFFIC

Stephen C. Brich Senior Research Scientist

(The opinions, findings, and conclusions expressed in this report are those of the author and not necessarily those of the sponsoring agencies.)

Virginia Transportation Research Council (A Cooperative Organization Sponsored Jointly by the Virginia Department of Transportation and the University of Virginia)

Charlottesville, Virginia

May 1998 VTRC 98-R38 Copyright 1998, Virginia Department of Transportation.

TABLE OF	CONTENTS
-----------------	-----------------

EXECUTIVE SUMMARY	v
Background and Purpose	v
Literature and Legislative Findings	v
Condition of Overpasses and Underpasses Under Consideration	vi
Conveyance Alternatives and Associated Costs	vi
Findings and Conclusions	vii
Recommendations	viii
INTRODUCTION	1
PURPOSE AND SCOPE	1
METHODS	2
REVIEW OF LITERATURE, LEGISLATION, AND PRACTICES OF NEIGHBORING STATES	3
Federal Aid Policy Guide	3
Codes and Statutes of Neighboring States	3
Code of Virginia	5
South Carolina's Overpass Program	6
	-
OVERPASSES AND UNDERPASSES UNDER CONSIDERATION AND PERTINENT DATA	7
Overpasses	7
Underpasses	11
Summary	13
CASE STUDIES OF PREVIOUSLY TRANSFERRED OVERPASSES	14
DEVELOPMENT OF COST FIGURES	15
Limitations	15
Assumptions	16
Overpass Replacement Costs	16
Annual Maintenance Costs of New Replacement Overpasses	16
Annual Maintenance Costs of Underpasses	17
DEVELOPMENT OF TRANSFERENCE ALTERNATIVES	17
Alternative 1	19
Alternative 2	19
Alternative 3	20
Alternative 4	21
Alternative 5	21
Alternative 6	22

DISCUSSION	23
Literature and Legislative Findings	23
Financial Ramifications of Conveying Ownership and Maintenance Responsibilities	24
Advantages and Disadvantages of the Six Alternatives	24
FINDINGS AND CONCLUSIONS	24
RECOMMENDATIONS	25
REFERENCES	27
APPENDIX A: OVERPASSES UNDER CONSIDERATION	29
APPENDIX B: UNDERPASSES UNDER CONSIDERATION	33
APPENDIX C: UNDERPASSES ELIMINATED FROM FURTHER CONSIDERATION	37
APPENDIX D: OVERPASS REPLACEMENT COSTS	41
APPENDIX E: COST TABLES FOR ALTERNATIVE 1	45
APPENDIX F: COST TABLES FOR ALTERNATIVE 2	51
APPENDIX G: COST TABLES FOR ALTERNATIVE 3	57
APPENDIX H: COST TABLES FOR ALTERNATIVE 4	63
APPENDIX I: COST TABLES FOR ALTERNATIVE 5	69
APPENDIX J: COST TABLES FOR ALTERNATIVE 6	75

EXECUTIVE SUMMARY

Background and Purpose

One of the goals defined in *Virginia Connections: Strategic Plan for Transportation* is to "reduce or eliminate obsolete state laws governing transportation providers."¹ In response to this goal, then Secretary of Transportation Robert Mart∡nez established a Rail Issues Legislative Task Force and charged them with reviewing the laws and regulations governing railroads. The task force raised the issue of the maintenance responsibility for structures that carry highway traffic over railroads (overpasses) and structures that carry railroads over highway traffic (underpasses).

There are 1,041 overpasses and underpasses in the Commonwealth. In general, the entity responsible for the traffic on a structure also owns and maintains it. In other words, overpasses are predominantly owned and maintained by the state or locality, and underpasses are predominantly owned and maintained by the railroad that uses them.

Exceptions exist. According to the Virginia Department of Transportation's (VDOT) Structure & Bridge Division, 69 overpasses are maintained by a railroad (the responsibility for 11 of these is being transferred to VDOT), and 32 underpasses are maintained by VDOT or a municipality. The purpose of this study was to identify the issues, including the costs of improvements and maintenance, regarding the possible conveyance of overpass ownership and maintenance from the railroads to VDOT and underpass ownership and maintenance from VDOT to the railroads for the 90 structures under consideration. The intent of this study was not to provide recommendations to VDOT or the Virginia Department of Rail and Public Transportation (VDRPT) but rather to present the potential consequences to VDOT and affected jurisdictions of the various alternatives considered.

Literature and Legislative Findings

According to the *Federal Aid Program Guide*, reconstructing and rehabilitating gradeseparated structures involving railroads and highways are eligible for federal aid. However, should federal funds be used for these purposes, the railroad company is under no obligation to participate in any portion of the cost, provided there is no contractual agreement to the contrary. Thus, if Virginia transferred ownership and maintenance responsibilities for the structures under consideration without an appropriate contractual agreement, the state could face a significant expenditure of public funds.

Many of Virginia's neighboring states prescribe ownership, maintenance, and cost share responsibilities for overpasses and underpasses. In many cases, the responsibilities are clear: the state or county is responsible for structures that carry highway traffic over the railroad's tracks. Conversely, where roadways pass under a railroad's track, the railroad is responsible for maintaining the structure supporting its tracks and abutments. However, the allocation of cost

share responsibilities for reconstructing an overpass differs. For example, in North Carolina and West Virginia, the railroad's share is 10 percent; in Maryland, 25 percent; and in Kentucky, between 10 and 50 percent.

The *Code of Virginia* does not allocate cost share responsibilities for reconstructing an overpass or underpass. The *Code* does establish the ownership and maintenance responsibilities for constructed or reconstructed overpasses and underpasses. VDOT is responsible for overpasses, and the railroad is responsible for underpasses, with one exception: When an underpass is constructed and an at-grade crossing is not eliminated, the railroad is not required to maintain the underpass. This could be expensive for the Commonwealth. VDOT and VDRPT have been slowly eliminating the number of railroad-owned and maintained overpasses but not the number of VDOT-maintained underpasses. In fact, given the provision in the *Code*, VDOT could acquire maintenance responsibilities for additional underpasses if grade crossings are not eliminated when such underpasses are constructed. Only a change in the *Code* could eliminate the potential for VDOT to own and maintain additional nonhighway facilities.

Condition of Overpasses and Underpasses Under Consideration

Most of the overpasses are in poor condition, which should be of concern to VDOT. The average age of an overpass is 70 years, and more than 60 percent have a weight restriction of 10 tons or less. In contrast, the underpasses are in good condition. The average age is 35 years, and none of them has a weight restriction. Given these facts, a simple "swap" of responsibilities could have serious financial ramifications for VDOT's Salem, Culpeper, and Lynchburg districts.

Conveyance Alternatives and Associated Costs

The researcher explored six alternatives for conveying ownership and maintenance responsibilities for the 58 overpasses and 32 underpasses under consideration. Each alternative has three parts:

- A: VDOT acquires and maintains overpasses and the underpasses are not considered
- B: VDOT acquires and maintains the overpasses and maintains the underpasses
- *C*: VDOT acquires and maintains the overpasses, and the railroads acquire and maintain the underpasses.

With Alternative 1, VDOT and VDRPT continue their current process of conveying ownership and maintenance responsibilities of the overpasses over time. Historically, 5 overpasses, on average, are transferred to VDOT each year. If this trend continues, VDOT will own all 58 overpasses in 12 years. The railroads maintain the overpasses until they are replaced, and then VDOT assumes ownership and maintenance responsibility. The railroads pay a percentage of the initial replacement costs.

With Alternative 2, the overpasses are replaced immediately and their maintenance is turned over to VDOT. The railroads pay a percentage of the initial replacement costs.

With Alternatives 3 through 6, the overpasses are replaced immediately and their maintenance is turned over to VDOT. The railroads pay a percentage of the initial replacement costs and continue to pay maintenance costs for a fixed number of years, ranging from 5 to 25.

Findings and Conclusions

- *Grade-separated structures involving railroads and highways are eligible for federal aid.* However, in the absence of a contractual agreement to the contrary, railroads are under no obligation to pay any portion of replacement or rehabilitation costs. It might be in the Commonwealth's best interest to negotiate a contract with the railroads to enable the use of federal funds.
- The codes of many neighboring states allocate replacement costs between the state and the railroad: the railroad pays from 10 to 50 percent of the cost of the project.
- Section 56-368.1 of the Code of Virginia specifies that if VDOT constructs a new underpass without eliminating a railroad-highway grade crossing, the subsequent maintenance of the underpass is not the responsibility of the railroad. Unless this statute is changed, VDOT could acquire maintenance responsibility for additional underpasses.
- The overpasses maintained by the railroads are in generally poor condition, requiring substantial public investment to comply with VDOT's current standards and specifications, whereas the underpasses maintained by VDOT are in generally good condition. Therefore, VDOT will need compensation from the railroads to make the transference of ownership and maintenance responsibilities a reality.
- *Should VDOT acquire the 58 overpasses,* the cost to VDOT could range from approximately \$15 to \$40 million, and the costs to the railroads from approximately \$2 to \$18 million, depending on the alternative selected.
- Should VDOT acquire the 58 overpasses and continue to maintain the 32 underpasses, the costs to VDOT could range from approximately \$20 to \$45 million, and the costs to the railroads from approximately \$2 to \$18 million, depending on the alternative selected.
- *Should VDOT acquire the 58 overpasses and relinquish the 32 underpasses,* the costs to VDOT could range from approximately \$11 to \$36 million, and the costs to the railroads from approximately \$6 to \$22 million, depending on the alternative selected.
- *Transferring maintenance responsibilities for underpasses in the near future might be in the Commonwealth's best interest in the long term.* The cost of replacing an underpass is nearly twice that of replacing an overpass. The costs of subsequently maintaining each type of structure are almost equal. However, over time, the underpasses under consideration will

require a significant amount of work to maintain their load-carrying capabilities. The Commonwealth will probably be liable to perform this work expeditiously so as not to interfere with interstate commerce. Eventually, these underpasses will require serious rehabilitation and possibly replacement, and the cost of replacing one could exceed the cost of replacing two overpasses.

Recommendations

- 1. Section 56.368.1 of the Code of Virginia should be modified so that the railroads are responsible for all newly constructed underpasses.
- 2. VDOT and VDRPT should state that one of their continuing efforts is to eliminate unnecessary and redundant highway-railroad grade crossings.
- 3. VDOT and VDRPT should arrive at concise replacement cost estimates for overpasses.
- 4. VDOT and VDRPT should work with the railroads to relinquish control of all underpasses as soon as possible.

INVESTIGATION OF OWNERSHIP AND MAINTENANCE RESPONSIBILITIES FOR STRUCTURES SEPARATING HIGHWAY AND RAILROAD TRAFFIC

Stephen C. Brich Senior Research Scientist

INTRODUCTION

One of the goals defined in *Virginia Connections, Strategic Plan for Transportation* is to "reduce or eliminate obsolete state laws governing transportation providers."¹ In response to this goal, then Secretary of Transportation Robert Mart∡nez established a Rail Issues Legislative Task Force and charged them with reviewing the laws and regulations governing railroads. One of the issues raised by the task force was the maintenance responsibility for structures that carry highway traffic over railroads (overpasses) and for structures that carry railroads over highway traffic (underpasses).

There are 1,041 overpasses and underpasses in the Commonwealth that either carry highway traffic over a railroad or carry railroad traffic over a highway. In general, the entity responsible for the traffic on a particular structure also owns and maintains the structure. In other words, overpasses are predominantly owned and maintained by the state or locality in which they are located, and underpasses are predominantly owned and maintained by the railroad company that uses them.

Exceptions to this general rule exist. According to the Virginia Department of Transportation's (VDOT) Structure & Bridge Division, 69 overpasses are maintained by a railroad (the maintenance responsibilities for 11 of these are being transferred to VDOT) and 32 underpasses are maintained by VDOT or a municipality. As a result of the findings of the task force, Virginia's Secretary of Transportation Shirley J. Ybarra (then Virginia's Deputy Secretary of Transportation), requested that research be undertaken to investigate transferring the maintenance responsibilities for these structures to the entity that carries traffic across them.

PURPOSE AND SCOPE

The purpose of this study was to identify the issues, including the costs of improvements and maintenance, regarding the possible conveyance of overpass ownership and maintenance from the railroads to VDOT and underpass ownership and maintenance from VDOT to the railroads for the 101 structures identified previously. This study was not intended to provide recommendations to VDOT or the Virginia Department of Rail and Public Transportation (VDRPT) but rather to present the potential consequences to VDOT and affected jurisdictions of the various alternatives considered.

METHODS

The researcher conducted several tasks to accomplish the objectives of the study.

- 1. *Review the literature regarding conveying ownership and maintenance responsibilities for overpasses and underpasses, applicable legislation, and practices of neighboring states.*
- 2. *Identify the overpasses and underpasses under consideration*. Staff from VDOT's Structure & Bridge Division assisted in this task. Queries were developed using the SuperNatural system to identify the structures under consideration in the Highway and Traffic Records Information System (HTRIS) database. This list was refined based on additional information available, and the lists of structures were sent to each district structure and bridge engineer for verification. Advertised replacement projects with a provision stating that maintenance responsibility would be transferred to the entity that carried traffic across the structure were excluded from the list and from any further consideration.
- 3. *Compile pertinent data for each structure identified in Task 2.* The compiled information included:
 - Administrative, geographical and classification identification: location, features carried and intersected, maintenance jurisdiction, current maintenance responsibility, current ownership, functional classification, route number
 - *Type of structure*
 - *Age of structure and service characteristics*: year built, type of service on and under the structure, average daily traffic, weight restrictions, lanes on and under the structure, structure condition
 - *Geometric characteristics*: structure length, width, lateral/vertical clearances for both highway and railroad requirements
 - *Needed and/or proposed improvements*: average maintenance costs, anticipated repairs, projected year of replacement.
- 4. *Conduct case studies of previously transferred overpasses.* The maintenance responsibilities for a number of identified structures were recently transferred. Using a case study approach, the researcher investigated the issues and costs associated with these conveyances and developed generalized cost figures.
- 5. Develop cost figures relating to overpass replacement costs, annual maintenance costs of new replacement overpasses, and annual maintenance costs of underpasses.

6. *Develop transference alternatives*. The researcher developed six alternatives for consideration by VDOT and VDRPT.

REVIEW OF LITERATURE, LEGISLATION, AND PRACTICES OF NEIGHBORING STATES

The researcher reviewed the literature in an attempt to identify the practices of other states regarding ownership and maintenance responsibilities for underpasses and overpasses. No significant information was located through this effort. Therefore, the researcher reviewed federal policies, the codes and statutes of neighboring states, and *the Code of Virginia* to identify the requirements for railroads and governmental entities related to the replacement or rehabilitation and future maintenance responsibilities for underpasses and overpasses. In addition, the researcher identified one state that recently undertook a similar program of transferring overpass maintenance responsibilities.

Federal Aid Policy Guide

Section 646.200 of the *Federal Aid Policy Guide* specifies the policies relating to federal aid projects that involve railroad facilities. Projects eligible for funding under this section include the elimination of railroad-highway crossing hazards and other projects that use railroad properties or involve adjustments required by highway construction to any railroad facilities. Section 646.206 clarifies the types of projects: "projects for the elimination of hazards, to both vehicles and pedestrians, or railroad-highway crossings may include but are not limited to grade crossing elimination, reconstruction of existing grade separations, and grade crossing improvements."²

Section 646.208³ states that federal funds can be used to replace or rehabilitate any railroad-highway bridge carrying highway traffic regardless of who owns or maintains the bridge, provided the bridge is on a public road. In addition, the state must secure jurisdictional interest for the construction, operation, and maintenance of the project, and the state and railroad must execute an agreement to maintain the facility. As for the railroad's share of the project costs, "projects for the reconstruction of existing grade separations are deemed to generally be of no ascertainable net benefit to the railroad and there shall be no required railroad share of the costs, unless the railroad has a specific contractual obligation with the State or its political subdivision to share in the costs."⁴

Codes and Statutes of Neighboring States

North Carolina

In North Carolina, a city can require that a grade crossing be eliminated and replaced by a railroad bridge or underpass.⁵ In such an event, the city is responsible for 90 percent of the costs,

and the railroad company for 10 percent. The same cost ratio holds whenever widening, improving, or otherwise changing a street requires a railroad bridge to be "relocated, enlarged, heightened, or otherwise reconstructed \dots "⁶

Cities must pay the costs of maintaining street bridges that cross over railroads. Railroad companies must pay the costs of maintaining railroad bridges over streets, except that cities must pay the costs of maintaining street pavement, sidewalks, street drainage, and street lighting where streets cross under railroads.⁵

The cost of eliminating or safeguarding grade crossings and inadequate underpasses or overpasses must be allocated between the railroad and the department of transportation. This allocation is in the same ratio as the net benefits received by the party. However, in no case can the net benefit to any railroad company be deemed to be more than 10 percent of the total benefits resulting from the project.⁷

Maryland

In Maryland, 25 percent of any railroad grade separation project or maintenance costs is paid by the railroads that benefit from the separation and 75 percent is paid by the state.⁸

Tennessee

In Tennessee, the railroad must maintain, in good and safe condition, and repair all overpasses and underpasses and their approaches on the railroad's right of way. The railroad must also maintain and repair any part of the overpass or approach not supported by fill, whether on its right of way or not, except for the surface of the highway.⁹

The commissioner of transportation must maintain, in good and safe repair, "any fill, approach to any such crossing not on the railroad's right-of-way, and also the entire surface of the highway at all points."⁹

In 1949, a court ruling on the maintenance of an overpass indicated that if the railroad undertakes not only to construct but also to maintain and care for an overpass, the railroad also assumes a duty to the traveling public to keep the overpass and its approaches in reasonably safe condition.

West Virginia

In West Virginia, unless otherwise agreed upon, the railroad is liable for 10 percent of the total cost of constructing a new grade separation structure that replaces an existing grade crossing.¹⁰ Once the grade separation structure is built, when the highway is carried over the railroad, the state must maintain the highway and the structure supporting it, including the drainage. When a highway passes under the railroad, the state must maintain the highway and its

drainage. The railroad must maintain its tracks and roadbed and the structure supporting them.¹¹ The same cost and maintenance provisions apply to relocating and reconstructing grade-separation structures.¹²

Kentucky

In Kentucky, with regard to state roadways, the state may order, for reasons of public safety, any railroad operating in the state to change any existing overhead or underpass structure where any public road crosses the railroad's tracks.¹³ The railroad must wholly pay for preparing the plans, specifications, cost estimates and soliciting bids. The state must pay 50 percent of the cost of the work within the railroad's right of way, extended across the highway, and the railroad must pay the other 50 percent. The state must pay 100 percent of the work outside the railroad's right of way.¹⁴

Two provisions apply to county roadways. With regard to costs for reconstructing overpasses or underpasses that cross a county road, the railroad must pay 15 percent and the county must pay 85 percent. These costs include preparing plans and specifications; acquiring necessary property; and constructing approaches, drainage structures, and street and pavements.¹⁵ For grade separation constructed under KRS 178.350 to 178.385, the county is responsible for maintaining the roadway and associated sidewalks. Further, if the road crosses over the railroad tracks, the county must maintain the bridge or the structure and its approaches. If the road passes under the railroad, the railroad must maintain the structure supporting its tracks and its abutments.¹⁶

The entire cost for eliminating grade crossings and reconstructing grade separation structures is allocated between the railroad and the governmental unit.¹⁷ The distribution of costs is the ratio of the net benefit received by the railroad from the project and the net benefit accruing to the public using the highway. However, in no case shall the net benefit to any railroad be deemed more than 10 percent. The costs to be allocated include the cost of preparing the plans and specifications; supervising the improvement, acquiring necessary property; constructing approaches, drainage structures, roadways and pavements; accommodating public utilities, and paying damages to abutting property owners.

Code of Virginia

The *Code of Virginia* has three sections related to maintaining underpasses and overpasses. Section 56-366.1 states that the Commonwealth Transportation Commissioner may agree with the railroad involved on such items and conditions as to "plans and specifications, the method and manner of construction, and the division of costs and maintenance responsibility of any such grade separation structure" that is in need of widening, strengthening, remodeling, relocating, or replacing.¹⁸

Section 56-366.3¹⁹ states that when it becomes necessary to alter, rebuild, or replace an overpass that is maintained by the railroad, it is the railroad's responsibility to notify the

Commissioner of such needs. The Commissioner will determine whether it is in the Commonwealth's best interest to upgrade such a structure. If the Commissioner determines it is not in the Commonwealth's best interest, all costs of the necessary work, including the formulation of plans, are to be borne by the railroad. If the Commissioner determines it is in the Commonwealth's best interest, the Commissioner may execute plans for such work in consultation with the railroad. In cases where it is necessary only to repair any overpass maintained by the railroad, all work and costs associated with the repairs are borne by the railroad.¹⁹

Section 56-368.1 states that upon completion of any work specified in these sections, the future maintenance, including drainage, of any underpass shall be the sole responsibility of the railroad, excluding the pavement. The maintenance of any overpass thereafter constructed is the sole responsibility of VDOT. However, if any underpass is constructed without eliminating a grade crossing, the railroad is not required to maintain the structure and VDOT is responsible for maintenance, including highway drainage.²⁰

South Carolina's Overpass Program

The South Carolina DOT, in cooperation with CSX-Transportation and the Norfolk Southern Corporation, recently completed a report entitled *Review of Railroad Owned and Maintained Highway Bridges: Phase I-State Highway System.*²¹ In May 1997, a technical review committee consisting of engineering representatives from the DOT, CSX, and Norfolk Southern was formed to review 32 structures owned and maintained by the railroad that connect roads on South Carolina's state highway system.

The purpose of the review was to determine a course of action for each of the 32 structures. Five actions were considered: (1) replace with a new bridge; (2) remove the structure and re-route traffic to an alternate crossing; (3) remove the structure and construct an at-grade crossing in its place; (4) maintain, repair, and rehabilitate the structure; and (5) take no action. In cases where more than one action was considered, the actions were prioritized and the recommended action was then noted.

The committee recommended the following: take no action with 6 structures, accept certain of these structures into the road system with specific agreements, remove 11 structures, and replace 15 structures. The committee developed cost estimates for each structure. Replacing all 32 structures, including any roadway improvements, would cost approximately \$33.5 million.

Cost agreements between the state and the railroad companies were developed based on the structures that crossed over their tracks. In each case, the railroad tentatively agreed to pay 10 percent of the total cost. It is interesting to note that this 10 percent figure includes the replacement cost for the new structure as well as the cost of any roadwork required for the approaches.

OVERPASSES AND UNDERPASSES UNDER CONSIDERATION AND PERTINENT DATA

Overpasses

There are approximately 660 overpasses in Virginia. Of these, 69 are maintained by a railroad. Of these, 11 are being reconstructed and their ownership and maintenance responsibilities transferred to the state or municipality. Therefore, the researcher considered only 58 overpasses in this study. Appendix A provides a detailed summary of these structures.

Geographic Distribution

Figure 1 depicts the geographic distribution of the 58 overpasses. As indicated, the Salem District would receive 14, nearly 25 percent, of the overpasses. Of these 14 bridges, Bedford County would acquire 93 percent. The Culpeper District would receive 22 percent of the structures under consideration, with Albemarle County and the City of Charlottesville receiving 85 percent of these. The remaining seven districts have a more even distribution of overpasses.

Maintenance Responsibilities

Norfolk Southern is currently responsible for 45 (78%) overpasses, and CSX-Transportation is responsible for 13 (22%).

Age

Table 1 shows that 88 percent of the overpasses are 57 years old or older. Many of these are reported to have been built in 1932. However, the 1932 date simply indicates when Virginia took over the secondary road system, so these structures may be older.

Year Built	Number of Structures	Percentage
Before 1900	3	5
1900-1919	13	23
1920-1939	35	60
1940-1960	5	9
After 1960	2	3

Table 1. Age of Overpasses

Sufficiency Rating

An indication of the condition of an overpass is its sufficiency rating. The sufficiency rating of a structure is a calculated numeric value of four factors: (1) structural adequacy and safety, (2) serviceability and functional obsolescence, (3) how essential the structure is for public use, and (4) a factor for special reductions. The sufficiency rating indicates the bridge's sufficiency to remain in service. A bridge with a sufficiency rating of 100 is entirely sufficient, and one with a sufficiency rating of 0 is entirely insufficient. As indicated in Table 2, the vast majority of the structures, 84 percent, have a sufficiency rating of less than 50, and 20 percent have a rating less than 20.

	• • • •	
Sufficiency Rating	Number of Structures	Percentage
0-19	12	20
20-49	37	64
50-79	8	14
80-100	1	2

Table 2. Sufficiency Ratings of Overpasses

Number of Lanes

Sixty-nine percent of the overpasses are single-lane structures (Table 3). VDOT's policy does not allow the construction of one-lane bridges. Thus, if these single-lane structures require reconstruction, they must be reconstructed as (at least) a two-lane structure before they can be considered for inclusion in the state system. It may be plausible, however, to increase the capacity of certain single-lane structures to a load rating sufficient, at a minimum, to carry school bus traffic unimpeded.

Table 3.	Number	of Lanes	for Overpasses
----------	--------	----------	----------------

Number of Lanes	Number of Structures	Percentage
1	40	69
2	14	24
3	2	3.5
4	2	3.5

Posted Weight Limits

More than half of the overpasses (62%) have a posted weight limit of less than 11 tons, and of these 36 structures, approximately one third have a posted weight limit of less than 8 tons (Table 4). Only 5 have no posted weight restriction.

Posting Information	Posted Loads (tons)	Number of Structures	Percentage
Posted	Less than 5	6	10
	5-< 8	7	12
	8 -<11	23	40
	11-<15	9	15
	15-<19	8	14
Open		5	9

Table 4. Posted Weight Limits for Overpasses

Vertical Underclearance

Vertical underclearance is of concern to the railroads as more railroad traffic becomes intermodal and double-stacking becomes the norm. The majority, 83 percent, is below the ideal height of 23 feet (Table 5). Some may need to be raised to comply with railroad standards.

 Table 5. Vertical Underclearance of Overpasses

Vertical Underclearance (ft)	Number of Structures	Percentage
Less than 20	13	23
>20-22	29	50
>22-23	6	10
Greater than 23	10	17

Type of Material

Sixty-two percent of the overpasses are constructed of steel, 26 percent of timber, and 10 percent of concrete (Table 6).

Table 6.	Type of Material of Overpasses	
----------	---------------------------------------	--

Material	Number of Structures	Percentage
Concrete	3	5
Concrete continuous	3	5
Steel	34	59
Steel continuous	2	3
Timber	15	26
Aluminum, wrought iron, or cast iron	1	2

Historic Significance

The historic significance of some overpasses could affect the costs of rehabilitating or replacing them. As shown in Table 7, most of the structures are not eligible for inclusion on the National Register of Historic Places and would not require special treatment. However, 2 are listed on the National Register: No. 062-6052 in Nelson County and 076-6023 in Prince William County. Both structures will probably need to be fully evaluated, dismantled, and stored, with

the concomitant costs. A third structure, No. 107-8002 in Covington, is eligible for placement on the National Register. This structure will likely also require special treatment.

Historic Significance	Number of Structures	Percentage
On National Register	2	3
Eligible for National Register	1	2
Possibly eligible for National Register	0	0
Not determinable	2	3
Not eligible for National Register	53	92

Table 7. Historic Significance of Overpasses

Underpasses

There are approximately 380 underpasses in Virginia. Of these, 42 are maintained by a public road authority, and of these, 9 are maintained by either the Richmond Metropolitan Authority, the National Park Service, or the U.S. Government. Another structure, No. 030-1133 in Fauquier County, was constructed and the railroad abandoned the line. This structure currently serves as a pedestrian/bicycle path. Since these 10 structures can be eliminated from further consideration (see Appendix C), the researcher considered only 32 underpasses in this study. A detailed summary of these underpasses is presented in Appendix B.

Geographic Distribution

Figure 2 depicts the geographic distribution of the underpasses under consideration. As shown, the Bristol District will be relieved of nearly one third of the total number of underpasses being considered. The remaining underpasses are predominately located in cities, with the exception of the Salem and Staunton districts. These underpasses in these districts combined, excluding cities, will account for another 22 percent of the underpasses to be returned to the railroads.

Maintenance Responsibilities

Norfolk Southern will receive 21 (66%) of the underpasses, and CSX will receive 10 (31%). Structure 116-1800 in Hopewell carries both CSX and Norfolk Southern traffic, and the maintenance responsibilities will most likely be shared between the two railroads.

Age

Table 8 indicates that the age of the underpasses under consideration is relatively low. More than half, 60 percent, are less than 30 years old, and 85 percent are less than 50 years old.

Year Built	Number of Structures	Percentage
Before 1900	0	0
1900-1929	2	6
1930-1949	3	9
1950-1969	8	25
1970-1979	13	41
1980-Present	6	19

Table 8. Age of Underpasses

Posted Weight Restrictions

None of the underpasses had a sufficiency rating. A surrogate measure of their condition might be their posted weight restrictions. Since none of the structures has a posted weight restriction and they continue to carry train traffic, they would seem to be in relatively good condition. In addition, these types of structures are not typically subjected to de-icing chemicals or road salts that would cause deterioration.

Type of Material

The majority of the underpasses are made of steel (84 percent), and the remaining are made of concrete (Table 9).

Material	Number of Structures	Percentage
Concrete	5	16
Concrete continuous	0	0
Steel	20	62
Steel continuous	7	22

Table 9. Type of Material of Underpasses

Historic Significance

The historic significance of the underpasses is not an issue since most of them are less than 50 years old. In fact, all of the underpasses have been determined to be ineligible for inclusion on the National Register.

Summary

In summary, the number of overpasses to be acquired by VDOT or a municipality versus the number of underpasses to be turned over to the railroads is in the order of 2 to 1. In all, VDOT and its municipalities would experience a net gain of 26 structures, with the most overpasses being acquired in the Salem District (see Table 10).

	Independent			Gain (Loss)
District	City	Overpasses	Underpasses	of Structures
Bristol		2	9	(7)
Culpeper		11	-	11
	Charlottesville	2	-	2
Fredericksburg		1	-	1
Lynchburg		9	2	7
	Alta Vista	-	1	(1)
	Danville	1	1	0
	Lynchburg	1	1	0
Northern Virginia		2	-	2
	Alexandria	-	2	(2)
Richmond		-	2	(2)
	Hopewell	-	2	(2)
	Petersburg	1	1	0
	Richmond	4	0	4
Salem		14	3	11
Staunton		4	4	0
	Covington	1	-	1
	Harrisonburg	1	-	1
	Staunton	1	2	(1)
Suffolk		1	-	1
	Emporia	1	-	1
	Newport News	-	1	(1)
	Norfolk	-	1	(1)
	Williamsburg	1	-	1
Total	6	58	32	26

Table 10. Summary of Structures Under Consideration

CASE STUDIES OF PREVIOUSLY TRANSFERRED OVERPASSES

As stated previously, the ownership and maintenance responsibilities of 11 overpasses have either recently been transferred or are in the process of being so. Agreements between the Commonwealth and the railroad exist with regard to 6. Table 11 provides information regarding these structures. The total cost of replacement shown includes the cost of dismantling and removing the structure, engineering and contingencies, work under the railway force account (RFA), and the new replacement structure. In each case, the structure was upgraded from a single-lane to a two-lane facility.

In each case, the railroad agreed to contribute 10 percent of the total replacement cost with the provision that the railroad would be relieved of all future maintenance. This provision is consistent with Section 56-368.1 of the *Code of Virginia*. The cost associated with dismantling and removing the structures varied, from \$7,500 to \$21,153. The average cost was \$15,630. The cost of engineering and contingencies was 22 percent of the cost of dismantling the existing structure and the cost of the new replacement structure. Engineering accounted for 10 percent, and the contingencies line item was 12 percent.

Structure				Cost of Replacement
Number	District	County	Agreement Date	(\$)
006-6073	Lynchburg	Appomattox	February 26, 1996	549,282
015-6068	Lynchburg	Campbell	August 14, 1996	384,370
009-6083	Salem	Bedford	November 3, 1995	497,115
009-6095	Salem	Bedford	July 31, 1995	590,529
007-6449	Staunton	Augusta	January 18, 1996	513,615
093-6025	Staunton	Warren	June 8, 1995	388,000

 Table 11

 Recently Transferred Overpasses

All of the agreements had a line item for the RFA. The RFA varied from 9 to 21 percent of the total costs of dismantling the existing structure, the engineering and contingencies, and the cost for the new structure. The average was 12.5 percent.

To determine a cost for a new replacement structure that included all other costs and line items, the researcher calculated an average square foot cost for each structure, as shown in Table 12. The average replacement cost of \$278.85 per square foot may appear high. However, this figure represents the cost of replacing one-lane structures with wider overpasses, not the cost of the replacement bridge itself.

Bridge	Total Cost (\$)	Area of Bridge Replaced (sq ft)	Cost/Square Foot (\$)
006-6073	549,282	2387	230.11
015-6068	384,370	961	399.97
009-6083	497,115	2192	226.79
009-6095	590,529*	2070	285.28
	472,968		228.49
007-6449	513,615	1408	364.78
093-6025	388,000	1792	216.52
Average squ	are foot replace	ement cost	278.85

 Table 12

 Average Square Foot Replacement Costs for Overpasses

*Note: There was some dispute between the railroad and VDRPT regarding the anticipated costs. Therefore, both the railroad's estimate and VDRPT's estimate are used here in the calculation of the average square foot replacement cost.

DEVELOPMENT OF COST FIGURES

Limitations

Although the researcher made every effort to locate the actual annual maintenance costs for each structure, for various reasons, the attempts were futile. Therefore, the cost figures presented are based on conservative assumptions made by the researcher. These assumptions might either overstate or understate the true cost of a project to transfer maintenance responsibility. The costs presented for the overpasses are only for the structure and not for any work required for the geometric realignment of the roadway or its approaches.

Assumptions

The researcher selected a 50-year analysis period with a corresponding 5 percent interest rate in an effort to present the costs in a normalized fashion, namely in net present worth. The net present worth analysis for overpasses includes the estimated cost of constructing a new structure (including costs for dismantling and removing the existing structure, engineering and contingencies, and the RFA) that complies with VDOT's current standards and specifications, the approximated annual maintenance costs, and the cost to perform annual and biannual bridge inspections. The researcher assumed that a new structure would not require annual inspections for the first 35 years of its service. For the remaining 15 years, the structure would be inspected annually. The researcher recognized that this is a strong assumption and that there are many reasons why a structure may or may not be inspected more frequently earlier or later in its useful life. However, to provide uniformity in developing generalized costs, this assumption was necessary.

The net present worth analysis for the underpasses includes only the estimated annual maintenance costs for the structure and the cost associated with biannual bridge inspections. Since the majority of these structures are relatively new and do not require significant maintenance, the researcher assumed that a biannual bridge inspection would be sufficient over the analysis period.

Overpass Replacement Costs

As discussed previously, the researcher calculated the average cost for dismantling and removing an existing overpass structure as \$15,630. Engineering and contingencies accounted for 22 percent of the dismantling fee and the cost for a new structure. The average RFA was 12.5 percent of the total costs. The average square foot cost to replace structures was \$278.85. This cost is for the area of the existing structure, not the area of the proposed new structure.

The researcher also identified costs associated with the construction of a new overpass. In a number of agreements between VDOT and railroad companies, reference was made to a new structure costing \$90 per square foot. VDOT's Structure & Bridge Division supplied a cost of \$75 per square foot for a new bridge and \$105 per square foot for a new bridge with road improvements associated with the project.

Annual Maintenance Costs of New Replacement Overpasses

The researcher developed annual maintenance costs for the new replacement structures based on the following assessment. Based on VDOT's bridge inventory, the average bridge area is 6,000 square feet, and the cost associated with constructing a new facility is approximately

\$105 per square foot. Based on these two values, the cost for constructing a structure this size would be approximately \$630,000. The average annual maintenance cost for a new structure is typically between 0.7 percent and 2 percent of the cost of a new structure.²² Therefore, at 0.7 percent, the annual maintenance would be \$4,410, and at 2 percent, the annual maintenance would be \$12,600.

The environment in which the bridge resides will also affect the annual maintenance cost. A bridge in a "good" environment with limited use of de-icing chemicals and road salts will have a lower annual maintenance cost than a bridge in a "bad" environment with extensive use of de-icing chemicals and road salts. After rounding the two maintenance costs estimated previously (\$4,410 and \$12,600), the researcher assumed that a structure in a good environment could have an annual maintenance cost of \$5,000, and a structure in a bad environment could have an annual maintenance cost of \$10,000. For the purposes of this study, structures on rural roadways were listed as being in a good environment, and structures in urban settings were listed as being in a bad environment. Thus, approximately 76 percent of the structures under consideration are located in a good environment.

Annual Maintenance Costs of Underpasses

Information on the maintenance costs for underpasses was nearly nonexistent. The researcher made every effort to locate the actual annual maintenance costs for each underpass VDOT maintains, but none was available because of VDOT's current accounting system. The researcher also asked both CSX and Norfolk Southern to identify their average annual maintenance costs for underpasses. CSX staff stated that because of their accounting system, they would not be able to supply this level of information.²³ However, because of a recent systemwide survey of their underpasses, Norfolk Southern staff found that the annual maintenance costs for their structures was \$6,400 per structure per year.²⁴ This figure is for only the substructure and superstructure (not the tracks and ballast), which is the portion for which VDOT or another public road authority is now responsible for maintaining.

DEVELOPMENT OF TRANSFERENCE ALTERNATIVES

Based on the assumptions used to develop the cost figures, the researcher developed six transference alternatives:

- 1. Allow the existing process of conveying ownership and maintenance responsibilities of overpasses to correct itself over time.
- 2. Replace all of the overpasses immediately, with VDOT assuming ownership and maintenance responsibilities.

- 3. Replace all of the overpasses immediately, with VDOT assuming ownership and maintenance responsibilities and the railroads paying 10 percent of the initial replacement costs plus a fixed number of years of future anticipated maintenance.
- 4. Effect the provisions of Alternative 3, except that the railroads pay 15 percent of the initial replacement costs.
- 5. Effect the provisions of Alternative 3, except that the railroads pay 20 percent of the initial replacement costs.
- 6. Effect the provisions of Alternative 3, except that the railroads pay 25 percent of the initial replacement costs.

Each alternative has three parts:

- *Part A* investigates only the costs associated with VDOT acquiring the overpasses without consideration of maintaining or relinquishing the underpasses.
- *Part B* investigates the costs associated with VDOT acquiring the overpasses and continuing to retain and maintain the underpasses.
- *Part C* investigates the cost of VDOT acquiring the overpasses and immediately relinquishing the ownership and maintenance responsibilities for the underpasses.

To give a range of magnitude and a complete overview, the researcher decided to use the four previously estimated replacement costs with the alternatives:

- 1. *\$75/square foot:* the estimate of VDOT's Structure & Bridge Division for a new bridge
- 2. *\$90/square foot:* the figure specified in a number of agreements between VDOT and the railroads
- 3. *\$105/square foot:* the estimate of VDOT's Structure & Bridge Division for a new bridge and the necessary road improvements
- 4. *\$278.85/square foot:* average cost for replacing the previous 6 structures (includes dismantling and removing existing structure, engineering and contingencies, work under the RFA, and the cost of replacement with a wider overpass).

Appendix D provides a table of the overpasses under consideration and the anticipated replacement costs based on the four unit cost figures. Appendices E through J provide the full cost tables developed for Alternatives 1 through 6, respectively. The following sections summarize the results of each alternative and provide a range of costs. Because of rounding, the figures may differ slightly from those in the appendices.

Alternative 1

Alternative 1 assumes that VDOT's and VDRPT's existing process of conveying ownership and maintenance responsibilities of the overpasses will correct itself over time. On average, 5 overpasses are transferred to VDOT each year. If this trend continues, the structures under consideration will be transferred in approximately 12 years. This alternative also assumes that the railroads will maintain the overpasses until they are ready for replacement.

This alternative considers a range of initial construction (replacement) cost percentages that would be paid by the railroads. After the replacement of the structure, 100 percent of the future maintenance will be the responsibility of VDOT. Only a percentage of the initial replacement cost will be paid by the railroad, as is done now.

Table 13 depicts the costs associated with Alternative 1. The cost to the state could range from \$10.6 to \$35.2 million, and the cost to the railroads from \$1.9 to \$18.4 million. Total project costs would range from \$24.5 to \$38.0 million.

		Percentage of (Overpass Repla	cement Cost P	aid by Railroa	d
	10%	15%	20%	30%	40%	50%
1A: VDOT	Acquires Overpa	sses Over Tim	e			
State	22.6-30.7	21.7-29.3	20.8 - 28.0	18.9-25.2	17.0 - 22.4	15.2-19.7
Railroad	1.9–2.8	2.8 - 4.2	3.7–5.5	5.6-8.3	7.5–11.1	9.3–13.8
Total	24.5-33.5					
1B: VDOT A	Acquires Overpa	sses and Main	tains Underpas	ses		
State	27.2–35.2	26.3-33.9	25.3-32.5	23.5-29.7	21.6-27.0	19.7-24.2
Railroad	1.9-2.8	2.8-4.1	3.8-5.5	5.6-8.3	7.5-11.0	9.4–13.8
Total			29.1	-38.0		
1C: VDOT	Acquires Overpa	sses and Railro	oads Acquire U	nderpasses		
State	18.1–26.2	17.2-24.8	16.2-23.4	14.4-20.7	12.5-17.9	10.6-15.1
Railroad	6.4–7.3	7.3-8.7	8.3-10.1	10.1-12.8	12.0-15.6	13.9–18.4
Total			24.5-	-33.5		

Table 13Costs for Alternative 1 (in millions)

Alternative 2

With Alternative 2, the overpasses are replaced immediately and their maintenance is turned over to VDOT. The railroads pay a percentage of the initial replacement costs.

Table 14 depicts costs for Alternative 2. The cost to the state could range from \$15.6 to \$44.7 million, and the cost to the railroads from \$2.4 to \$22.4 million. Total project costs would range from \$32.2 to \$48.3 million.

		Percentage of (Overpass Repla	cement Cost P	aid by Railroad	1
	10%	15%	20%	30%	40%	50%
2A: VDOT	Acquires Overpa	asses				
State	29.8-40.2	28.6-38.5	27.4-36.7	25.0-33.1	22.6-29.5	20.2-26.0
Railroad	2.4-3.6	3.6-5.3	4.8-7.1	7.2-10.7	9.6-14.3	12.0-17.8
Total	32.2-43.8					
2B: VDOT	Acquires Overpa	asses and Main	tains Underpas	ses		
State	34.4-44.7	33.2-43.0	32.0-41.2	29.6-37.6	27.2-34.1	24.7-30.5
Railroad	2.4-3.6	3.6-5.3	4.8-7.1	7.2-10.7	9.6-14.2	12.1-17.8
Total			36.8	-48.3		
2C: VDOT	Acquires Overpa	asses and Railr	oads Acquire U	Inderpasses		
State	23.3-35.7	24.1-33.9	22.9-32.1	20.5-28.6	18.1-25.0	15.6-21.4
Railroad	6.9-8.1	8.1-9.9	9.3-11.7	11.7-15.2	14.1-18.8	16.6-22.4
Total			32.2	-43.8		

Table 14Alternative 2 Costs (in millions)

Alternative 3

With Alternative 3, the overpasses are replaced immediately, their maintenance responsibilities are turned over to VDOT, and the railroads pay 10 percent of the initial replacement costs plus a fixed number of years of maintenance costs. VDOT would perform the maintenance.

Table 15 depicts the costs of Alternative 3. The cost to the state could range from \$19.2 to \$42.9 million, and the cost to the railroads from \$4.2 to \$14.2 million. Total costs would range from \$32.2 to \$48.3 million.

	Railroa	Alternative 3 Co ads Pay 10% of Ov	osts (in millions) erpass Replaceme	nt Costs	
		Years of Overpa	ss Maintenance P	aid by Railroads	
	5	10	15	20	25
3A: VDOT A	cquires Overpasses				
State	28.0-38.4	26.5-36.9	25.3-35.8	24.4-34.8	23.7-34.1
Railroad	4.2-5.4	5.7-6.9	6.9-8.0	7.8-9.0	8.5-9.7
Total			32.2-43.8		
3B: VDOT Ac	quires Overpasses	and Maintains Ui	nderpasses		
State	32.6-42.9	31.0-41.4	30.0-40.3	29.0-39.3	28.3-38.6
Railroad	4.2-5.4	5.8-6.9	6.8-8.0	7.8-9.0	8.5-9.7
Total			36.8-48.3		
3C: VDOT Ac	quires Overpasses	and Railroads Ac	quire Underpasse	es	
State	23.5-33.9	21.9-32.3	20.8-31.2	19.9-30.3	19.2-29.6
Railroad	8.7-9.9	10.3-11.5	11.4-12.6	12.3-13.5	13.0-14.2
Total			32.2-43.8		

Table 15
Alternative 3 Costs (in millions)
Railroads Pay 10% of Overpass Replacement Costs

Alternative 4

Alternative 4 is identical with Alternative 3 except the railroads pay 15 percent of the initial replacement costs of the overpasses.

Table 16 depicts the costs of Alternative 4. The cost to the state could range from \$18.0 to \$41.1 million, and the cost to the railroads from \$5.4 to \$16.0 million. Total project costs would range from \$32.2 to \$48.3 million.

	Railroc	ids Pay 15% of Ov	verpass Replaceme	nt Costs	
		Years of M	aintenance Paid h	y Railroads	
	5	10	15	20	25
4A: VDOT A	cquires Overpasses				
State	26.8-36.6	25.3-35.1	24.1-34.0	23.2-33.0	22.5-32.3
Railroad	5.4-7.2	6.9-8.7	8.1-9.8	9.0-10.8	9.7-11.5
Total			32.2-43.8		
4B: VDOT Ad	cquires Overpasses	and Maintains U	nderpasses		
State	31.4-41.1	29.8-39.6	28.7-38.5	27.8-37.5	27.1-36.9
Railroad	5.4-7.2	7.0-8.7	8.1-9.8	9.0-10.8	9.7-11.4
Total			36.8-48.3		
4C: VDOT Ad	cquires Overpasses	and Railroads Ac	quire Underpasse	es	
State	22.3-32.1	20.7-30.6	19.6-29.4	18.7-28.5	18.0-27.8
Railroad	9.9-11.7	11.5-13.2	12.6-14.4	13.5-15.3	14.2-16.0
Total			32.2-43.8		

Table 16Alternative 4 Costs (in millions)Railroads Pay 15% of Overpass Replacement Costs

Alternative 5

Alternative 5 is identical with Alternative 3 except that the railroads pay 20 percent of the initial replacement costs of the overpasses.

Table 17 depicts the costs for Alternative 5. The cost to the state could range from \$16.8 to \$39.4 million, and the cost to the railroads from \$6.6 to \$17.8 million. Total project costs would range from \$32.2 to \$48.3 million.

Table 17Alternative 5 Costs (in millions)

		Years of Ma	aintenance Paid b	y Railroads	
	5	10	15	20	25
5A: VDOT AG	equires Overpasses				
State	25.6-34.8	24.0-33.3	22.9-32.2	22.0-31.2	21.3-30.6
Railroad	6.6-9.0	8.2-10.5	9.3-11.6	10.2-12.6	10.9-13.2
Total			32.2-43.8		
5B: VDOT Ac	quires Overpasses	and Maintains U	nderpasses		
State	30.1-39.4	28.6-37.8	27.5-36.7	26.6-35.8	25.9-35.1
Railroad	6.7-8.9	8.2-10.5	9.3-11.6	10.2-12.5	10.9-13.2
Total			36.8-48.3		
5C: VDOT Ad	equires Overpasses	and Railroads Ac	quire Underpasse	es	
State	21.1-30.3	19.5-28.8	18.4-27.7	17.5-26.7	16.8-26.0
Railroad	11.1-13.5	12.7-15.0	13.8-16.1	14.7-17.1	15.4-17.8
Total			32.2-43.8		

Railroads Pay 20% of Overpass Replacement Costs

Alternative 6

Alternative 6 is identical with Alternative 3 except that the railroads pay 25 percent of the initial replacement costs of the overpasses.

Table 18 depicts the costs of Alternative 6. The cost to the state could range from \$15.6 to \$37.6 million, and cost to the railroad from \$7.8 to \$19.6 million. Total costs would range from \$32.2 to \$48.3 million.

		Years of Maintenance Paid by Railroads					
	5	10	15	20	25		
6A: VDOT Ac	cquires Overpasses						
State	24.4-33.1	22.8-31.5	21.7-30.4	20.8-29.5	20.1-28.8		
Railroad	7.8-10.7	9.4-12.3	10.5-13.4	11.4-14.3	12.1-15.0		
Total			32.2-43.8				
6B: VDOT Ac	quires Overpasses	and Maintains Ui	nderpasses				
State	28.9-37.6	27.4-36.0	26.3-34.9	25.3-34.0	24.7-33.3		
Railroad	7.9-10.7	9.4-12.3	10.5-13.4	11.5-14.3	12.1-15.0		
Total			36.8-48.3				
6C: VDOT Ad	cquires Overpasses	and Railroads Ac	quire Underpasse	s			
State	19.8-28.5	18.3-27.0	17.2-25.9	16.2-24.9	15.6-24.2		
Railroad	12.4-15.3	13.9-16.8	15.0-17.9	16.0-18.9	16.6-19.6		
Total			32.2-43.8				

Table 18
Alternative 6 Costs (in millions)
Railroads Pay 25% of Overpass Replacement Costs

DISCUSSION

Literature and Legislative Findings

The *Federal Aid Policy Guide* specifies that reconstructing and rehabilitating gradeseparated structures involving railroads and highways are projects eligible for federal aid. However, should federal funds be used for these purposes, the railroad company is under no obligation to participate in any portion of the project cost. This is provided that no contractual agreement to the contrary exists between the state and the railroad company. If Virginia moves forward with the transference of ownership and maintenance responsibilities for the structures under consideration, but does not have a contractual agreement with the railroads, the state could be faced with a significant expenditure of public funds.

Many of Virginia's neighboring states have statutes that prescribe maintenance, ownership, and cost share responsibilities for overpass and underpasses. In many cases, these responsibilities are clear: overpasses are the responsibility of the state or county, and underpasses are the responsibility of the railroad.

States are different, however, with regard to the allocation of cost share responsibilities. For example, in North Carolina and West Virginia, the railroad bears 10 percent of the cost of reconstructing an overpass. But in Maryland, the railroad's share is 25 percent, and in Kentucky, 10 to 50 percent.

The Code of Virginia does not prescribe the distribution of costs relative to the reconstruction of an overpass or underpass. However, the *Code* does establish the maintenance and ownership responsibilities of constructed or reconstructed overpasses and underpasses. In the case of an overpass, VDOT is responsible, and in the case of an underpass, the railroad is responsible, with one exception: Whenever an underpass is constructed and an at-grade crossing is not eliminated, the railroad is not required to maintain the underpass. This could be expensive for the Commonwealth. VDOT and VDRPT have been slowly eliminating the number of railroad-owned and maintained overpasses but not the number of VDOT-maintained underpasses. In fact, given the provision in the *Code*, VDOT could acquire maintenance responsibilities for additional underpasses if grade crossings are not eliminated when such underpasses are constructed. Only a change in the *Code* could eliminate the potential for VDOT to own and maintain additional nonhighway facilities.

South Carolina has taken the lead in transferring the maintenance responsibilities for overpasses. This program will be a multiphase, multiplater program. The state is also using the 10 percent cost share from the railroads to advance its program. It is interesting to note that this

10 percent figure includes not only the cost of the structures but also the cost of any necessary roadway improvements.

Financial Ramifications of Conveying Ownership and Maintenance Responsibilities

Although the total number of overpasses and underpasses being considered is quite small, the financial implications for VDOT and the railroads could be large. Most of the overpasses are in poor condition. The average age is 70 years, and more than 60 percent have a weight restriction of 10 tons or less. In contrast, the underpasses are in good condition. The average age is 35 years, and none has a weight restriction. Given these facts, it is apparent that a simple "swap" of responsibilities could have serious financial ramifications for VDOT's Salem, Culpeper, and Lynchburg districts with regard to their 6-year plans and construction money.

Advantages and Disadvantages of the Six Alternatives

Each alternative would have different financial impacts on VDOT and the railroads, and each alternative has advantages and disadvantages.

Alternative 1 reflects the replacement trend currently used by VDOT and VDRPT and thus provides for an easy transition of maintenance responsibilities. With this alternative, VDOT would not be responsible for maintaining the overpasses until they were replaced. In addition, VDOT and VDRPT could stagger replacements rather than paying a lump sum to replace all structures immediately. The disadvantages might, however, outweigh the advantages. The issue and problems currently being felt by both the state and the railroads would linger for 12 years. Although the underpasses are in good shape and do not require significant attention, the public will probably demand better overpasses before all of them are brought under the control of VDOT or a municipality.

Alternative 2 calls for an immediate transfer of the overpasses. Although this option would eliminate any further confusion regarding ownership and maintenance responsibilities, it would not come without a price. Replacing 58 structures immediately would result in a financial drain on the budgets of some VDOT districts. In addition, a significant amount of coordination would be required among the state, localities, and the railroads. This cooperation period would extend from contract preparation through construction inspections.

Alternatives 3 through 6 have the same advantages and disadvantages as Alternative 2, with one exception. Depending on the number of years of future maintenance paid for by the railroads, the future costs to the state would be lessened.

FINDINGS AND CONCLUSIONS

• *Grade-separated structures involving railroads and highways are eligible for federal aid.* However, in the absence of a contractual agreement to the contrary, should one of these structures be replaced or rehabilitated with federal funds, the railroad company is under no obligation to pay any portion of the costs. It might be in the Commonwealth's best interest to negotiate a contract with the railroads beforehand to enable the use of federal funds.

- The codes of many neighboring states specify the allocation of replacement costs between the state and the railroad. The railroad pays from 10 to 50 percent of the project's cost.
- Section 56-368.1 of the Code of Virginia specifies that if VDOT or the public road authority constructs a new underpass without eliminating a railroad-highway grade crossing, the subsequent maintenance of that underpass is the responsibility of VDOT or the public road authority. Unless this statute is changed, VDOT could acquire maintenance responsibility for additional underpasses.
- The overpasses currently maintained by the railroads are in generally poor condition, requiring substantial public investment to comply with VDOT's standards and specifications, whereas the underpasses currently maintained by VDOT are in generally good condition, requiring little annual maintenance. Therefore, it will be necessary to have monetary compensation from the railroads to make the transference of ownership and maintenance responsibilities a reality.
- *Should VDOT acquire the 58 overpasses*, the costs to VDOT could range from approximately \$15 to \$40 million, and the costs to the railroads from approximately \$2 to \$18 million, depending on the alternative selected.
- *Should VDOT acquire the 58 overpasses and continue to maintain the 32 underpasses,* the costs to VDOT could range from approximately \$20 to \$45 million, and the costs to the railroads from approximately \$2 to \$18 million, depending on the alternative selected.
- *Should VDOT acquire the 58 overpasses and relinquish the 32 underpasses,* the costs to VDOT could range from approximately \$11 to \$36 million, and the costs to the railroads from approximately \$6 to \$22 million, depending on the alternative selected.
- *Transferring maintenance responsibilities for underpasses in the near future might be in the Commonwealth's best interest in the long term.* The cost of replacing an underpass is nearly twice that of replacing an overpass. The cost of subsequently maintaining each type of structure is almost equal. However, over time, the underpasses under consideration will require a significant amount of work to maintain their load-carrying capabilities. The Commonwealth will probably be liable to perform this work expeditiously so as not to interfere with interstate commerce. Eventually these underpasses will require serious rehabilitation and possibly replacement, and the cost of replacing one could exceed the cost of two new overpasses.

RECOMMENDATIONS

The researcher offers four recommendations that will eliminate the potential for VDOT to maintain additional underpasses and delineate what would be required for VDOT to assume ownership of and maintenance responsibilities for overpasses.

1. Section 56.368.1 of the Code of Virginia should be modified as follows:

§56-368.1. Subsequent maintenance of underpasses and overpasses.

After the work specified in §§56-366.1 and 56-366.3 regarding underpasses and overpasses has been done, the maintenance, including drainage, of any underpass hereafter so constructed, except the pavement thereof, shall be the sole responsibility of the railroad company and the maintenance of any overpass hereafter so constructed shall be the sole responsibility of the Department of Transportation or the public road authority; provided, that the railroad company shall not be responsible for any damage to an underpass caused by operations on the highway, and the Department of Transportation or the public road authority shall not be responsible for any damage to an overpass caused by the operations of the railroad company; and further provided, that the provisions herein as to maintenance of overpasses and underpasses shall also be construed as applicable in the case of those structures previously built on the primary system under agreement between the railroad company and the Department of Transportation or the public road authority. ; and further provided that the provisions herein as to maintenance by a railroad company shall not be applicable in the case of any underpass hereafter constructed without eliminating a crossing of a railroad and a highway grade, but the maintenance of such structures, including highway drainage and pavement therefor, shall be the sole responsibility of the Department of Transportation or the public road authority.

- 2. VDOT and VDRPT should state that one of their continuing efforts is to eliminate and close unnecessary and redundant highway-railroad grade crossings.
- 3. VDOT and VDRPT should undertake a comprehensive review of overpasses to arrive at concise replacement cost estimates. Upon completion of these estimates, a decision could be made as to which structures should be replaced, which could be retrofitted and their integrity brought up to standards acceptable to VDOT, which should be permanently closed, and which could be brought into VDOT's road network without modification. An engineering field review team; consisting of representatives from each railroad affected, VDOT, and VDRPT, should review each overpass structure that is being considered for inclusion in VDOT's road system. This engineering review should provide VDRPT, VDOT, and the participating railroads with a more accurate assessment of the true costs associated with the possible transference of maintenance responsibilities.

4. VDOT and VDRPT should work with the railroads to relinquish control of all underpasses as soon as possible.

REFERENCES

- 1. Office of the Secretary of Transportation. 1994. *Virginia Connections: Strategic Plan for Transportation*. Richmond, Virginia.
- 2. Federal Aid Policy Guide, Section 646.206 December 9, 1991.
- 3. Federal Aid Policy Guide, Section 646.208, September 8, 1992.
- 4. Federal Aid Policy Guide, Section 646.210 (b) (2), December 9, 1991.
- 5. General Statutes of North Carolina, Section 160A-298 (d), 1995.
- 6. General Statutes of North Carolina, Section 160A-298 (e), 1995.
- 7. General Statutes of North Carolina, Section 136-20 (b), 1995.
- 8. Code of Maryland, Section 8-642 (a).
- 9. Tennessee Code, Section 65-11-112, 1996.
- 10. West Virginia Code, Section 17-4-14, 1996.
- 11. West Virginia Code, Section 17-4-17, 1996.
- 12. West Virginia Code, Section 17-4-17a, 1996.
- 13. Kentucky Revised Code, Section 177.120 (1), 1994.
- 14. Kentucky Revised Code, Section 177.170.
- 15. Kentucky Revised Code, Section 178.355 (7).
- 16. Kentucky Revised Code, Section 178.370.
- 17. Kentucky Revised Code, Section 277.065.
- 18. Code of Virginia, Section 56-366.1, March 8, 1996.
- 19. Code of Virginia, Section 56-366.3, March 8, 1996.

- 20. Code of Virginia, Section 56-368.1, March 8, 1996.
- 21. South Carolina Department of Transportation. June 16, 1997. Review of Railroad Owned and Maintained Highway Bridges: Phase I-State Highway System.
- 22. Pagan, Alfred R. January 1995. How to Figure the Real Cost of Bridges. *Better Roads*, Vol. 65, No. 1, p. 14.
- 23. Rich Garro, CSX-Transportation. Personal communication, November 1997.
- 24. T. David Wyatt, Norfolk Southern Corporation. Personal communication, October 26, 1997.

Appendix A

OVERPASSES UNDER CONSIDERATION

Scheduled for Advertisement							616/97			9/7/04							507.05	6V12590 2714 055					7/31/81	10101		6/30/81										76/7/2			
Proposed Improvement Type	- 2	311	1 1		: =	F			=			311			: =	1			<u> </u>	11						_		-	-		5 =	11	11	Ξ		311	Ē	=	-
Posted Capacity	1.01	153		3311	10 31 1	10 31		4 31	10 31 1	11 31 1	÷	7 3	00	10311	113	6.9	6.9	NA 5 21 1	83	10 31 1	83	12 31 1	0 9	10 31 1	10 31 1	10 31 1	9311	NA 36	18 31	NA 35 1	13 31	15 31	11 31	3 31		15 34	2 8	15 31	6 31
Open/Posted/Closed	٩	۵.	1	L	<u>م</u>	٩	. .	1 a	. a.	a . 1	۵.		2 0	2 0	1			ه ۵	I-			<u> </u>	+	+	٩	٩.	+	۲ ۹	+	+	+	٩	٩		·	2 0	. a	. a .	<u>a</u> .
Historical Significance		ŝ	<u>.</u> u	n lu	2	5	n ī	2 10	2	u i	ŝ	ۍ ا	n 4	ה ת	2	÷	s	us u	2	5	5	- .	<u>ה ה</u>	2	5	2	<u>s</u>	1 1	5 C.	2	2	5	5	S	5	<u>.</u> .	ى ر	2	9
Lanes Under	0	0	-	0	0	0	0 0	-	0	0	0	0	5 0	5	0	o	0	0 C	0	0	0	0	-	0	0	0	0	5		, -	0	0	0	0	•	<u> -</u>	, 0	0	0
nO sens.	-	- (N 7	-+-	0	-		- -	-		-	- 0	vc	N 0	-			∾ +	-	-	-	╤╡╸	- 10	-	-	-	~ ~	50	10	14		4	-	-	~ 7	╡╾	╬	2	-
Type Service Under	2	~	NC	v N		~	N G	2		~	~	~	v	v 0		N	~	~ ~	~	2	2	~ ~	2		~	~	~	v 0	1	10	1 01	N	~	N	~ ~	20	1		~
Type Service On	-	-	-+-	- -	-	-	-,	- -	-	•	-	=†•	= ;		-	•	ł		-	-	-	- 1	- -	-	-		- 1	- 0	· 40	5 40	, -	5	-	-	ι Ω	-1-	֠=	-	-
Owner		_				1 2																_	_	5				36		i [2		27	27			272	1	1.3	53
Area	1258.4	2060.1	1548	1836	1746	878.4		1152	1376	2070	2384	1936	1450	2304	1476.6	1612	2387	4775.9 061	3233.6	2160	1440	2070	1832.8	2072.4	1797.6	2022.4	2342.4	1723.8	1667.2	17570	2139	7831.2	2296.2	1543.8	3052.5	1248.2	1450.7	3080	1814.4
rength	88	<u>6</u>	8	5 8	6	22	201	5 96	88	8	149	12	5.0	200	6	8	15	<u>8</u> 8	172	120	8	<u>8</u>	116	132	5	128	128	3 5	8	251	18	156	129	ន	<u>=</u>	30	2 88	140	1 08
tuO of thO MibiW	4.3	_	10 18	_	-	12.2	0 9	2 2	16	¥.	<u>9</u>		2 9					29.3 15 5					15.8	15.7		15.8	18.3	1 8 EE	251	12			17.8	16.6	1.5	15.8	16.3	ង	16.8
Width Curb to Curb				- 12	11	10.8 1		10.8				14.9	- 0	10.0			4.5		8	14.9	4.7			14.7		14.8				48		{ I	14.7		202	15.2 1		1 8	14.6
Lype	\square	-		_	₋	5	-	+	-	.	-	-		+					<u> </u>				_	_		_							·				+	-	ē,
	1 7 02	0303	608 7 02	643 3 03	1 7 02	170		303		90	3 3 03	715 3 03	202	805 3 03	5 3 03	609 3 03	6 95 3 03	660 3 02 664 7 02		7 7 02	4 7 02	3310	303	330	3 3 02	3303	730 3 02	- 00	5201	161 4 02	0303	0302	5303	0403	0201	677 7 02	37.0	63 03	330
Route		7 610			654	9 620		7 666							1	2 604	5 80			9 707				62	2 623	833	<u>را کې</u>			-			ଞ					2 616	С С
Sufficiency Rating	45.2	41.7	22.8	22.5	46.5	23.9	ļ	15.7	4	¥ !	47.9	31.1	5.10	23.1	40	33.2	15	83.8 11 2	23.9	30.9	44.3	37.4	21.0	56.	41.2	15.	49.	0.0	29.6	67.5	48.8	35	18	10.2	78.3	27.8	g	56.2	16.3
Culver GCR	Π																																						
Substructure GCR	9	ις Γ	n a	2 0	2	5	đ i	20	5	so (9	94	0 4	0 4	9	9	4	~ 4	4	4	5	4 1	- v:	5	^	9	1 0	- 1-	. 60	9 6	20	4	4	4	80	‡ 🗗	5	9	4
Superstructure GCR	9	in i	n u	- 1	2	9	0ī	0 0	5	5 0 (9	n n	0 4	0 4	5	w)	4	30 CB	7	5	5	40	2 0	2	9	4		۵ ۵	0	9 9	9	9	S	e	∞ -	1 10	2	9	*
Deck GCR	80	ωŀ	<u>ה</u> ע	2 4	1	2	0 T	~ r	8	8	9	ω u	0 4	0 0	9	ŝ	4	~ v.	5	2	9	~ 0		С	5	6	r r	- œ	0	9	- 1	e	5	4	<u></u>	0 t	9	9	ю
TQA	2	493	8 6	215	264	142	1000	135	86	5/1	8	4 <u>6</u>	85	36	541	78	210	512 808	206	79	53	20	167	102	102	407	251 1 Ad En	4040	6490	24249	4	9640	331	230	2146	875	775	520	512
VitidianoqeaR esponainity	S	N ⁸	2	8 N	N81	1&W	NX0	N&W	1 <u>8</u> W	13W	N&W	N v	10101	N N N	ŝ	18W	16 W	NXN NXN	Sou	1&W	S	nos		NS/	nos	N&V		-	+				N&W	CSX	SSX SSX	x x x	SSX	CSX	B
Vertical Underclearance	2204 N	2304 N&V	SN 0012	2700 N&W	1907 N&W	2008 N		2108 1	2110 N&W	2208 A		2109 N&W	DOCE NEW	2506 N&W	2201 N	2000 N&M	2307 h	7 9062 7 2061	2604 5	2807 N&W	2103 SOU	2606 SOU	2101 N&W	2103 N&W	2106 5	2103	2206 5	2005 NRW	1706 5	1706 CSX	1906	1904	2104 N	1908	2007	2106 0	2103		S106.
	\square					50 20				20						20000					35 2				25	15				1 2 2 2 2	2 E		5	310			_	1	24 22
	1932	1932	1932	1932	1932	1950		1932	1932	1932	1932	1932	200	1932	1906	190	191		1932	193	1935	1882	1915	1916	1925	1915	1932	1911	1913	1943	1913	1901	1915	1913	1977	191/	1932	1947	Š.
Feature Intersected	N&S RAILWAY	N&W RAILWAY	N&W HAILWAY N2W DAILWAY	N&W RAILWAY	N&W RAILWAY	N&W RAILWAY	N&W HAILWAY #2	N&W RAILWAT #2	N&W RAILWAY	NAW PAILWAY	N&W HAILWAY	N&W RAILWAY		N&W PAILWAT	NS RAILWAY	N&W RAILWAY & CONCORD	NBW RAILWAY	N&W BALLWAY NAW BALLWAY	SOU RAILWAY	N&W RAILWAY	SOU RAILWAY	SOU RAILWAY	N&W BAILWAY		VIRGINIA SOUTHERN RWY.	N&W RAILWAY	SOU RAILWAY		SOUTHERN RAILWAY	CSX TRANSP RAILROAD	CSX TRANSP RAILROAD	, 	-	CSX RAILROAD			CSX RAILWAY	SX RAILWAY	NORFOLK SOUTHERN RAILWAY
District City/County Structure Number Ta City Can Can Can Can Can Can Can Can Can Can	1 83 6081 ROUTE 0661	൭		ົດ	6				ი	2 9 006 ROUTE 0671		2 9 6121 ROUTE 0715		n o.	ო	6 6011		3 15 BASS HOUTE BAS	15 6104	19	41 6136	3 62 6052 ROUTE 0653	23	22		23	3 108 6139 WATER STREET	133	127	127	121	127 8088		109 6070	5 137 8001 CAPITOL LANDING HD		7 2 6084 DRY BRIDGE ROAD	7 2 6017 BLACK CAT ROAD C	7 2 6029 COVE GARDEN ROAD

Scheduled for Advertisement						8/8/80							3/7/05				2/8/94								
Proposed Improvement Type	E	=	F	F	-	E	-		F	ŗ		1	~		F	F	F	11	31 1	-		=	31 1	$\left \right $	
Posted Capacity	8 31	931	14 31	12 31	9 31	8 31	103	18	NA 31	NA 3	10 31 -	3 31	11 3	3 <u>3</u> 1.	331	5 31	10 31	7 31.1	53	12 31	4 31	10 31	15 3		\vdash
besolO\bested	٩	م	۵.	م	٩	۵.	٩	a.	◄	A	₽	٩	a.	٩	۵.	٩	۵.	۵.	٩	a	¥	٩	٩		
Historical Significance	S	S	S	S	S	5	S	S	4	s	4	5	5	5	ß	S	S	ۍ	5	S	ŝ	S	-		
Lanes Under	0	0	0	0	0	0	0	0	0	o	0	0	0	0	0	0	o	0	0	0	0	0	0		
nO sens.	-	-	-	-		-	-	-			2			-	-	-			~		N		-		
Type Service Under	2	N	~	2			~	~	~		~	~	•	~	N	~	2						~		
Type Service On	-	-	-	-	-	-	-	-	-	5	-	-	ŗ	-	-	-	ŗ		S			-	-		
Owner	27					27	27	27	1	2233223	27		3000	27				ξ	27			27			
Area	1330	1558.2	2075	1504	1593.9	2417.8	1712	1712	3744	6537.9	3296.7	883.2	1408	938.1	2566.2	740	1791.9	1863	1711	066	2780	1542.9	1248		
γıβuər	95	86	125	94	66	154	107	107	72	111	66	69	88	59	141	74	8	81	58	8	8	111	78		
Vidth Out to Out	14	15.9	16.6	16	16.1	15.7	16	16	22	58.9	33.3	12.8	16	15.9	18.2	₽	18.1	23	29.5	16.5	20	13.9	16		
Width Curb to Curb	12	13.9	14.7	13.8	13.8	13.8	13.8	14	37.2	38	8	12	14.7	14.6	16.8	8.8	14.6	22	24.8	14.8	18.6	11.5	12		
Type	02	02	02	8	02	8	02	8	12	Б	8	02	65	8	02	02	8	₽	3 02	8	303	02	3 10		
ejuoR	640 3 02	641 3 02	649 3 02	745 3 02	31.8 745 3 02	651 3 02	635 3 02	675 3 02	0 1 12	250 2 01	0104	994 7 02	876 3 02	665 7 02	655 3 02	754 7 02	638 3 02	60	03	0 7 02	03	600 7 02	646 3		-
Sufficiency Rating		10.5 6	35.3 6	45.3 7	1.8 7	99	37.8 E		4.8				58.3 8	21.3 6	28.5 6	7.9.7	25.7 E		20.4	4.1		13.6 6	26.7 6		
	Ē	Ŧ	ö	4	é		3	2 C	ŵ	ø			6	0	Ñ	÷	~	ñ	Ñ	ŵ		F	Ñ		_
Culvert GCR	4	9	20	~	7	4	2	2	~		4	0	ŝ	8	4	4	+	ß	2	9	4	5	9		4
Substructure GCR	2					۔ 2								4											
ADB structure GCR									z	z		E.													
Deck GCR	5	5	7				8				3						v			ш) (Ш)		9	0,		
TQA	85	225	2273	5	104	403	77	63	11170	15490	13310	20	147	32	47	42	1406	1200	2500	2500	1860	2055	2891		
State Maintenance Responsibility	Nos	ß	00	ß	00	SOU	SOU	SOU	SSX	SOU	_	ŝ	CSX	CSX	I&W	N&W	SOU	SN	ន	CSX	i & W	Xs	SoU		1
Vertical Underclearance	2108 S	2106 SOU	2210 SOU	2101 SOL	2201 SOU	3300 S	2101 S	2108 S	1907 C	1800 S	2003 S	1909 NS	2101 C	1902 C	2007 N&N	1907 N	2102 S	2008 N	1604 NS	2003 C	2003 N&W	2101 CSX	2010 S	-	-
Year Built	1932 2	1932 2	1932 23			1932 3:	932 2	948 2	921 19	11 916	1932 20		1925 2			932 1					910 21	950 2	882 21	_	-
	\vdash	_	19			19	19	19	ē	61	19	19	19	19	19	19	19	€	19	19	19	19	18		_
	WAY	RAILWAY	RAILWAY	RAILWAY	RAILWAY	RAILWAY					N														
	RAILWAY	RAIL	RAIL	RAIL	RAIL	RAIL			LWAY		RAILW										×				
		Z	-	_	_	_	AΥ				_										LW.		Υ		
sted	Ë	Ĕ	뷤	Ë	뷤	THE	N.		080		so									7	I RA	DAD			
ersec	Š	SOL	Š	ğ	ğ	Sol	N R	WAΥ	õ	WAY	AVE	WA)	WAY	WAY	WAY	WAY	WAY		WAN.	LWA	N&N	AILR(ц В Д		B
e Int	Ъ	Ť	<u> </u>	5	Ľ	6 F	ШШ	JAIL	₹ Z	AIL	РКΥ	RAIL	AAL.	JAIL	RAIL	RAIL	AR	ž	RAIL	RAI	01	ЪВ	Ξ		<u>P</u>
Feature Intersected	NORFOLK SOUTHERN	NORFORK SOUTHER	NORFOLK SOUTHERN	NORFOLK SOUTHERN	NORFOLK SOUTHERN	NORFOLK SOUTHERN	SOUTHERN RAILWAY	SOU RAILWAY	RUGBY RD O C&O RA	SOU RAILWAY	JEFF PKY AVE O SOU	CHW RAILWAY	C&O RAILWAY	C&O RAILWAY	N&W RAILWAY	N&W RAILWAY	SOU RAILWAY	C&O RWY	CHW RAILWAY	C & O RAILWAY	4TH ST O N&W RAIL	R F & P RAILROAD	SOUTHERN RAILWAY		
ш.			2	2	2	<			<u>ц</u>	w	<u>ר</u>	Ŭ	ç		2	2	ω	0		0	Þ	_	00	-	Ш
	N N N	К К И И И И				9	P	ğ										ъ		щ		ROA			빙
	110	ATIC	ð	R	PPO	Page	202	Son										ШЩ.		VEN		OVE			ESS
arrieo	TST/	<u>7</u> S1	S S	Щ Щ	ц Ц	ATE	§	IADI	0000	7250	8	3994	3876	3665	3655	7754	809	빌	STR	AL A	0000	Ő N	OAD		õ
Facility Carried	3ER1	ľ,	E			EST.	N.	ž	Ĕ	Æ	Ĕ	Ĕ	Æ	Ĕ	Ĕ	Ĕ	Æ	IAW-	ШШ	ION,	E	VSTC	щN		۲P
Faci	GILI	ЪВ	Ĕ	¥	ž	쁖	В	ğ	ğ	õ	ğ	ğ	Ř	ğ	ğ	ğ	БŎН М	т ш	٨N	LA	õ	GUI	ADE		SES
Structure Number	2 6041 GILBERT STATION RD	2 6044 BURNLEY STATION RD	2 6049 PROFFIT ROAD	2 6105 WHEELER ROAD	6106 WHEELER ROAD	6124 FREESTATE ROAD	6024 GREENWOOD ROAD	68 6045 DOLLY MADISON ROAD	8013	1811	8012 ROUTE 0000	6093 ROUTE 0994	7 6449 ROUTE 0876	6124 ROUTE 0665	6034 ROUTE 0655	6135 ROUTE 0754	93 6025 ROUTE 0638	8002 E. HAWTHORNE ST	8010	132 8005 NATIONAL AVENUE	136 B012 ROUTE 0000	29 6001 GUNSTON COVE ROAD	6023 ADEN ROAD		PAS
Vînuo)/vii)	2	5	2	5	~	2	88	89	104 8013 ROUTE 0000	104 1811 ROUTE 0250	₫ 8	~	7	8		8	8	107 8	115 8010 WATER STREET	132	136 1	29 (76 6		OVERPASSES IN PROCESS OF BEING REPLACED
District	2	~	~	~	~	~	~	~	7	~	-	8	8	8	8	8			8		8				쒸
	$\left \cdot \right $	-		-		-		\neg	_						-							A	4	┥	
	Ц			1						a di]				1		

Appendix B

UNDERPASSES UNDER CONSIDERATION

	InsmeatheybA for Advertisements																		T											T						Τ		
0 0	Proposed Improvement Type	-			+	-	-	+			+	-	-	-	\vdash			+		+						-	+		-	+	$\left \right $			_		+	+	-
Image: Second	Posted Capacity				+	ř	5	-		+	+	-	-					_			-					-		c	.		$\left \right $							
Image: Second	Open/Posted/Closed	۲	A	۲.	4	A	. ⊲		ج .	< <	4 <	_ < 4	. 4	. 4	∢	A	۷.	<		. <	4	A	4 4	. *	¥ •	. <		۷.	•		◄	<	A	A		۷.	4	
Discrete			I			1	4		*****			- 333	*			1						1 8				a in	2 C	ເດ ແ	у и	20	S	S	5	5	ŝ	5	2 2	
B S		2	2	2	~	4 -	1		-	~ ~	N 7	- 4	4	4	4	9	4 (Ňα	4	4	0	2	P 0	N	∾ ¢	w 🛛		∾ ,	• -	- 4	~	~	4	4	Ŧ	4	N	
B B C	Lanes On	0	0	0	0	00		0	0		-	<u>5</u> c		0	0	0	0	- -		0	2	N	0 c	0	<u>ه</u> د	0	0	 . <	, c	0	0	0	0	0	o	0	Þ	-
And And And And And And And And And And	Type Service Under	-	-	-	-		- -	-	•		- -	-	-	-	-	-		- -		-		-	• •			• -	-		Ē		-	-	-	-		-	-	
All All <th>Type Service On</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>2</th> <th></th> <th></th> <th></th> <th>~</th> <th></th> <th>01.0</th> <th>• ^ _</th> <th>10</th> <th>~</th> <th>~</th> <th></th> <th>∾ +</th> <th></th> <th></th> <th></th> <th></th>	Type Service On										2				~													01.0	• ^ _	10	~	~		∾ +				
A 12 State of the control		27	27	27	2	2 5	3	-	8		-	- 3	K	,	-	4	4				Ē	-	88	123	88	<u> </u>	-	ъ Ж.	-		-	-	4	•		ä	4	
A 12 S 000 SOU PALWAY THE 28 S 000 SOU PALWAY Mean Derivation A 12 S 000 SOU PALWAY THE 29 S 000 SOU PALWAY Peature Intersected Peature Intersected A 12 S 000 SOU PALWAY THE 20 1001 SUD PALWAY Peature Intersected Peature Intersected A 12 S 000 SOU PALWAY THE 28 1001 SUD PALWAY Peature Intersected Peature Intersected A 12 S 000 SOU PALWAY THE 28 1001 SUD PALWAY PEE 28 1001 SUD PALWAY A 12 S 000 SOU PALWAY THE 28 1977 14 407 SU PALWAY PEE 28 2000 SOU PALWAY A 12 S 000 SOU PALWAY THE 28 1977 14 407 SU PALWAY PEE 28 2000 SOU PALWAY A 12 S 000 SOU PALWAY THE 28 1100 SUD PALWAY PEE 28 2000 SOU PALWAY 2000 SOU PALWAY	earA												3258.									3214.						674								1		
Aligned Aligned <t< th=""><th>rendth</th><th>96</th><th>89</th><th>8</th><th>5</th><th>8 -</th><th>: 2</th><th>5</th><th>83</th><th>5</th><th>2 6</th><th><u>)</u></th><th>× .</th><th></th><th>66</th><th>276</th><th>335</th><th>220</th><th>2 4</th><th>8</th><th>54</th><th>1.1.8</th><th>88</th><th>8</th><th>5</th><th>86</th><th>ရု</th><th>Q 8</th><th>17</th><th>82</th><th>127</th><th>240</th><th>112</th><th>21</th><th>8</th><th>2:</th><th>5</th><th></th></t<>	rendth	96	89	8	5	8 -	: 2	5	83	5	2 6	<u>)</u>	× .		66	276	335	220	2 4	8	54	1.1.8	88	8	5	86	ရု	Q 8	17	82	127	240	112	21	8	2:	5	
And the second of the second	· · · · · · · · · · · · · · · · ·	F	**	-			1		<u>.</u>	+	+				F	Cu			1	<u>'</u>		3	.			Ļ			-	-	-			-				
Image: Solution of the second secon	width Curb to Curb		Η	+	+	+	+			+	+	-	÷			$\left \right $		+	+	+	-	8				-			-	+		$\left \right $				+	+	\vdash
Constrained Constrained <thconstrained< th=""> <thconstrained< th=""></thconstrained<></thconstrained<>											-		*		01	0.1	0.1	N ~) ~		6		~ ~		m -	.					~	01		~	0			
Constrained Constrained <thconstrained< th=""> <thconstrained< th=""></thconstrained<></thconstrained<>	Tvpe	3 4 02	3 4 02	540	340	340	000	940	3 3 0	000	2	- 28	30.516	530	330	3 3 0	300	000	300	000	111	11	000 000 000 000	5 3 0	500) 3 0;	310	101	1319	130	130	030	2 3 0	2 1 0	1 30	000	030	
2 2		6	9	8	ğ	× ÷	6	ő	Ř		o ç		419	Ť	46(26f	50	ğ ğ		5 	۱		X	ч	14		മ	•	<u>8</u>	5 Ø	65	34(25	25		-	-	
A bit of the second s	Sufficiency Bating												L									3							_									
Provide Provide <t< th=""><th>Cuiven GCR</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>®</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	Cuiven GCR																				®																	
Constrained Constrained <thconstrained< th=""> <thconstrained< th=""></thconstrained<></thconstrained<>	Substructure GCR																					7	80 G	8					Ē	:								
Constrained Constrained Constrained Constrained Constrained 1 <	Superstructure GCR	9	9	8	~	~ ~	·	8	ľ						~	ω		-				2	~ ~	~					٩	Ű								
Image: Second Solution Second Second Solution Second S	,		c	c	_	c c		c							2	~		-				2	0 B	, r	∞ r	- 2	^m	r- a		:								
Представите	ADT - Under	3045	3045	1682	1165	1000	1099	2934	8	00/9			0000	3710	2000	6200	3810	4375 0000	5275	0420	500	1066	3000	3000	5000	800		Sec.	660	806	4969	4800	3130	3130	0008	80		
District Second Source Auron Second Source Auron 1 25 01013 SUSTERM Fault ROA Feature Intersected Year 1 25 01013 SUSTERM Fault ROA FTE 01977 1 25 01013 SUSTERM Fault ROA FTE 0197 1 25 00013 SUSTERM Fault ROA FTE 037 1 25 0001 SUD Fault WAY FTE 037 1 25 0001 SUM RAIL WAY FTE 037 1 25 0010 SUM RAIL WAY FTE 037 2 35 0114 NEW RAIL WAY FTE 037 2 35 0101 SUM WAIL WAY FTE 037 1937 2 35 0101 SUM WAIL WAY FTE 038 1937 2 35 0101 SUM WAIL WAY FTE 039 1937 3 1103 SUST FAUL WAY FTE 038 1937												20 20 20	80 3	10				_								1 -	ВТ	€¶ ¥	5 m	0							3	Η
District Second Source Auron Second Source Auron 1 25 01013 SUSTERM Fault ROA Feature Intersected Year 1 25 01013 SUSTERM Fault ROA FTE 01977 1 25 01013 SUSTERM Fault ROA FTE 0197 1 25 00013 SUSTERM Fault ROA FTE 037 1 25 0001 SUD Fault WAY FTE 037 1 25 0001 SUM RAIL WAY FTE 037 1 25 0010 SUM RAIL WAY FTE 037 2 35 0114 NEW RAIL WAY FTE 037 2 35 0101 SUM WAIL WAY FTE 037 1937 2 35 0101 SUM WAIL WAY FTE 038 1937 2 35 0101 SUM WAIL WAY FTE 039 1937 3 1103 SUST FAUL WAY FTE 038 1937	Vertical Underclearance	407	407	50	2	311 911	5	40	8	ŝ		3111	507	80	501	605	505		38	406		108	506 F 700 F	702 F	410 F 100 F	606	4 <u>6</u> 3	310 1	310	202	8	203	4 08	203	*	202	Ξ	Π
Biology Science Realing Carried Feature Intersected 1 25 5005 SOFTEM RAUENCA Feature Intersected 1 25 5005 SOU RAUENCY RTE. 653 1 25 6005 SOU RAUENCY RTE. 653 1 25 6005 SOU RAUENCY RTE. 653 1 29 6605 NEW PALLWAY RTE. 653 1 29 1005 SOU RAUENCY RTE. 653 2 28 6005 NEW PALLWAY RTE. 633 2 29 6010 NEW PALLWAY RTE. 633 2 2010 NEW PALLWAY RTE. 633 2 2010 NEW PALLWAY RTE. 643 2 1107 NEW PALLWAY RTE. 643 2 1103 1103 1034				12									1	65 1			1 1	200			6		on Million 6		3.000da	8 T	1		65 1		-							Н
Bit Country Feature Feature 1 25 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 1013 255 255 25 2003 201 261 260		19	19	9	6	<u></u>	φ φ	19	<u>٩</u>	5		- 4	19	19	19	19	6	20	2	19	19	19	61 61	19	19	19	€	81 6	-19	2 00	₽	19	₽	19	ę.	<u>6</u>	2	
	Feature Intersected			RTE. 606	RTE. 606	RTE. 23 RTE 19 & 460	RTE 627	RTE. 609	RTE.728	HIE. 63	RIE. 01 DTE 600	RTE 100	RTE. 419	RTE 15 360	RTE. 460	<u> </u>	LYNCH EXP RTE. 29	N RTF 295	RTE. 85	V RTE. 10	(CULVE				RTE 146 270 148	HARBOR ACC RD			87	E RTE. 64	RTE 651	RTE. 340	MIDDLEBROOK AVE	MIDDLEBROOK AVE	RTE.1			M FURTHER CONSIDERATION
	Structure Number		1 25 1013 SBD SYSTEM RAILROF		1 52 6008 SOU FAILWAY	1 84 1001 SOU RAILWAY			1 55 6005 PED	97	S #	. 11	ĕ	19	73	108		102	58			123		1862	4 127 1963 CSXT RR NB TRACK 4 127 1984 DEVT 20 CB TRACK	121	1.1		× -	3 2054	85 6389	93 1007	132	-1		88		UNDERPASSES ELIMINATED FROM FURTHER CONSIDER/

Appendix C

UNDERPASSES ELIMINATED FROM FURTHER CONSIDERATION

Nine underpasses are maintained by agencies other than state and municipal governments, and the realignment of their maintenance responsibilities was not considered. There are only three such agencies: the National Park Service, the Richmond Metropolitan Authority, and the U.S. Government. One other structure is located along an abandoned railway line and is maintained by VDOT. These structures, their current maintenance responsibility, and their location are as follows:

National Park Service

Structure 095-6085, in Washington County (Bristol District) Structure 137-5200, in Williamsburg (Suffolk District)

Richmond Metropolitan Authority

Structure 127-1823, in Richmond (Richmond District) Structure 127-1861, in Richmond (Richmond District) Structure 127-1862, in Richmond (Richmond District) Structure 127-1863, in Richmond (Richmond District) Structure 127-1864, in Richmond (Richmond District)

United States Government (USG)

Structure 029-1003, in Fairfax (Northern Virginia District) Structure 077-1014, in Pulaski County (Salem District)

Virginia Department of Transportation (VDOT)

Structure 030-1133, in Fauquier County (Culpeper District)

Appendix D

OVERPASS REPLACEMENT COSTS

.

resent Worth of Annual Mahricanoce Conta	S118 729 68	C118 720 68	C118 720 68	\$118 729 68	6110 720 GB	\$118 720 68	\$118 720 68	0.07.0.10	€118 730 68	\$118 720 68	e118 720 60	100.671 0114	6418 700 60	\$110,/29.00	\$110,723.00	\$118 720 68	E118 770 68	\$118 729 68					\$118,729.68	\$118.729.68	\$118.729.68	\$118.729.68	\$118.729.68	\$118 729 6B	\$118.729.68	C110 700 60	\$118,729.68	\$210 000 31	\$210,009.31
verse Annual Mahnenance for New Structure	\$5 000 00	\$5 000 00	\$5 000 00	\$5 000 00	66 000 00	85 000 00	\$5 00 00	20.000	45 000 00	\$5 000 00	65 000 DD	00.000,000	00 00 39		65 000 00	\$5 000 00	\$5 000 00	\$5,000.00					\$5,000.00	\$5,000.00	\$5,000.00	\$5.000.00	\$5,000.00	\$5.000.00	\$5.000.00	\$5 000 00	00,000,058	\$10,000,00	\$10,000.00
مىغارىمىغ يەتلەرلىيە بىلغۇغا ئىكىلىمىغىيە يەتلەرلىيە بىلىمىغىيە بىلىمىغىيە بىلىمىغى يەتلەر	\$421,480.51	\$549,729.67	\$563,404.89	\$494,880,B1	\$613,227.75	26 CUL 29PT	\$348,106.12		5+ 360 [°] 10+4	\$458,187.21	\$503,404,89		\$701,282.96	\$672,865.01	\$440,013.75	\$413,103.33	\$604,961,56	\$639,970.64					\$606,TTT 32	\$568,268.30	9430,064	\$650,829.11	\$657,078.93	\$549.921.45	\$623.306.64	\$508,641.04	\$642,440.35	\$579,918,79	8278,440.22
۲% Baginering & 10% Contagencies 2% Bagineringed (۲۵	\$63,687.62	\$83,921.61	\$66.079.38	\$75,267.19	\$78,162.08	\$70,201.13	\$52,108.06	\$105,479.45	\$70,062.99	\$69,477.41	\$96,079.38	\$138,127.37	\$107,834.73	\$87,570.48	\$68 ^{,029,96}	\$62,363.76	\$92,636.54	\$82,381.76	\$65,135.07	\$111,453.34	\$117,966.85	\$62,067.23	\$124,480.36	\$96,846.76	\$66,136.07	\$99,873.77	\$100,859.91	\$83,951.67	\$96,531.44	\$77,438.36	\$98,550.14	\$104,463.74	\$41,115.69
டிக்களன் போர இதுதையில் திரைக்கும்	\$289,489.20	\$381,461.85	\$391,269.90	\$342,123.60	\$355,282.20	\$319,096.05	\$236,854.80	\$479,452.05	\$318,468.15	\$315,806.40	\$391,269.90	\$627,851.70	\$490,157,85	\$398,047.65	\$309,227,10	\$283,471.65	\$421,075.20	\$374,462.55	\$296,068.50	\$506,606.10	\$536,212.95	\$282,078.30	\$565,819.80	\$394,758.00	\$296,068.50	\$453,971.70	\$458,454.15	\$381,599.40	\$434,233.80	\$351,992.55	\$447,955.20	\$474,835.20	\$186,689,50
Land Control 2115544	5380.504 B	887715	\$431,658.80	5391,505.40	1511,908,60	\$486.872.10	\$244,941,84		\$304,504,20	\$221,236,20	\$383,507,60		\$004,778.40	09 559/853	M7,814.20	9406.BA3.30	586° 400 40	MII,749.BI					\$601, 1569.35	8602,315,00	541.544.00	\$577.219.50	82.821,0178	8611.076 28	\$577,8888,74	BV 1992 1053	1560,946.24	178.24 178.24	8461,737.00
and Con & Sooning a second	\$363,831,39	\$473,748.66	\$485,470.31	A26/18.47	\$442,461.34	K666,215,20	5300,928,51		\$396,464.79	52,536,3663	\$465,470.31		\$603,951,50	\$403,570,42	\$367,420.80	\$356.540.40	\$521,090.69	181586,38545					S604,075,25	\$486,638 BS	\$371,664 ED	1000,005	\$566,762.35	90 E1 5 E/M	\$536.B16.56	5438,529,87	853215.03	SEC.333	2241,214 88
2% Engineering & 10% Contingencies	<u> </u>	0 \$71,932.81	0 \$73,762.32		0 \$66,996.07	0 \$60,172.40	0 \$44,664.05	0 \$90,410.96	0 \$60,053.99	0 \$59,552.06	0 \$73,782.32	Ľ	0 \$92,429.77	0 \$75,060.41	0 \$56,311.40	0 \$53,454.65	0 \$79,402.75			["	_	_							0 \$66,375.74	0 \$84,471.55		0 \$35,242.02
Aph/062، tota (Container) المجاهدة (Container) المجاهدة المحاطية المحاطية المحاطية المحاطية المحاطية المحاطية ا	\$248,133.60	\$326,967.3	\$336,374.2	\$293,248.80	\$304,527.6(\$273,510.90	\$203,018.40	\$410,958.90	\$272,972.7	\$270,691.20	\$335,374.20	\$538,158.60	\$420,135.3	\$341,183.7(\$265,051.80	\$242,975.70	\$360,921.60	\$320,967.90	\$253,773.00	\$434,233.80	\$459,611.10	\$241,781.40	\$484,988.4	\$338,364.00	\$253,773.0	\$389,118.60	\$392,960.7(\$327,085.20	\$372,200.40	\$301,707.90	\$383,961.60	\$407,001.60	\$160,191.00
مىنى تەرىپى بىرىمىيە بىرىمىيە بەر يەرىپى بىرىمىيە بەر يەرىپىيە بىرىمىيە بىرىمىيە بىرىمىيە بىرىمىيە بىرىمىيە بىر مەرىپى بىرىمىيە بىرىمى	\$306,170	21.737,1222			5371,554,83	\$336,658.47	05/05/10528		11110/9001	\$7.096 2513	P407,535.74		90'020'905\$	\$414,285,82	\$325,827,81	5300,177.48	\$437,219.36	\$330,796,98					\$581,373.16	\$411,000.60	\$312,722.01	19198/884	\$474,445.77	12.106,7603	12 122 234	2368,418,70	19'998'E3#\$	S460,758.95	55 646 5025
Replacement Costs @575%q.ft. 12% Engineering & 10% Contingencies		75 \$59,944.01			00 \$55,830.06		L						75 \$77,024.81		50 \$48,592.83		_					_	_		8	8		_		25 \$55,313.12		L	50 \$29,368.35
	\$206,77	0.00 \$272,472.7			0.00 \$253,773.00	8							0.00 \$350,112.75	0.00 \$284,319.75	0.00 \$220,876.50		Í									_				00 \$251,423.25			00 \$133,492.50
and (another) (see) See) S S S S S S S S S S S S S S S S S S S	_					 			 			-			cal \$15,630.00										_				_		-	<u> </u>	inor \$15,630.00
II O 1946.	1 Rural Loca	1 Runal Loca	Z Rural Major Arterial	1 Rural Lo	1 Rural Loca	2 Rural Local	1 Rural Local	1 Rural Local	1 Rurat Local	1 Rural Local	1 Rural Major Arterial	1 Rural Major Arterial	1 Rural Lo	1 Rural Local	2 Rural Local	2 Rural Local	Z Rural Minor Collector	1 Rural Lo	1 Rural Local	1 Rural Local	2 Rural Local	1 Rural Major Arterial	1 Rural Local	1 Kural Lo	1 Rural Loca	1 Rural Loca	2 Rural Loca	1 Rural Loca	1 Rural Loca	1 Rural Loca	1 Rural Local	Z Urban Loca	3 Urban Minor Arterial
(pid)	1258.4	2060.1	1548	1404	1836	1746	878.4	2192	1092	1152	1376	2070	2384	1936	1692	1458	2304	1476.6	1512	2367	4775.9	8	3233.6	7190	1440	2070	2764.1	1832.8	2072.4	1797.6	2022.4	2342.4	1620
tin the second se	8	109						-									128					8	221		8	138	131	116	132	107	128	128	8
dibit"															ļ								31.33										28.33
Lav											-					-										_							0 10152
Structure Xunnber	081 ROUTE 06	6099 ROUTE D610	6016 ROUTE 0600	6034 ROUTE 062	6066 ROUTE 0643	6077 ROUTE 065	6082 ROUTE 0620	6083 ROUTE 0661	6086 ROUTE 0666	6088 ROUTE 0666	6091 ROUTE 0668	6095 ROUTE 067	6105 ROUTE 0680	6121 ROUTE 0715	6139 ROUTE 073;	6155 ROUTE 0755	6176 ROUTE 0805	6183 ROUTE 0775	6011 ROUTE 0609	6073 ROUTE 0695	6063 ROUTE 660	6068 ROUTE 0664	6104 ROUTE 071		6136 ROUTE 0724	6052 ROUTE 0653	6067 ROUTE 0655	6018 ROUTE 062	6019 ROUTE 062	6020 ROUTE 0623	6037 ROUTE D633	6139 WATER STREET	829 ROUTE 000
ζμλιςοπικό															908 008																		118 18
Detrict			8		N	5	8	4	N		6		N.		14	8	8	N		^					~	m	~	•		n		ہ	<u> </u>

\$210,009.31	\$210,009.31	\$210.009.31	\$210.009.31	\$210.009.31	\$ 118,729.68	\$210.009.31	\$ 210.009.31	\$118.729.68	\$118,729,68	\$118,729.68	\$118.729.68		\$118,729.68	\$118.729.68	\$118 729 6R	\$118.729.68	\$118.729.68	\$118.729.68	\$118.729.68	\$118.729.68	\$210.009.31		\$210,009.31	\$118,729.68		\$118,729.68	\$118,729.68	\$118,729.68		\$210.009.31	\$210.009.31	\$210.009.31		¢118 770 68	\$118.729.68	\$6,206.90 \$8,164,236.34 50,000.00 \$140,762.70
\$10,000.00	\$10,000.00	\$10.000.00	\$10,000.00	\$10,000.00	\$5,000.00	\$10.000.00	\$10.000.00	\$5,000.00	\$5,000.00	\$5,000.00	\$5.000.00		\$5,000.00	\$5,000.00	\$5 000 00	\$5.000.00	\$5.000.00	\$5,000.00	\$5,000.00	\$5.000.00	\$10.000.00		\$10.000.00	\$5,000.00		\$5,000.00	\$5,000.00	\$5,000.00		\$10.000.00	\$10,000.00	\$10.000.00		65.000 AD	\$5.000.00	6
-		17 12 12 12 12 12 12 12 12 12 12 12 12 12					52 \$23 BES				22 \$700,984.54				36 \$510,501.56		56 \$47,96	4	.	0	66 \$643,248.52	10	30 \$546.870.55	88 SHC NELS	2			50 \$357,279.55				36 \$128,201,56	<u></u>	45 \$659,486.69	30 \$512,656 79	\$33,289,357,10 \$41,463,593,44
	\$43,856.7	5 413,578.4		\$242,630.3		\$75,899.44	\$90,589.65				\$107,789.2	\$78,162.06			\$125,115.38		\$71,648.56	\$118,568.1		\$77,438.3	\$98,677.66	*	\$99,091.30	\$49,936.80				_				\$48,967.38	-	\$85,461.4	\$78,071.99	
L		5 1,879,902.15	L	2 \$1,102,865.40			\$411,771.15			3 311,468.80	0 \$489,961.00	\$355,282.20			\$568,706.25		\$325,675.35			0 \$361,992.55	6 \$ 448,534.80								\$346,465.35					5388,461.15	\$354,872.70	
3480,981,63	5484,866.7	21500 212 C	1 (094/9855	11111111	1940,2265 3	\$420,485.5	5851,1865 7	5401,801 40	5080'98CS	E LES NOR	0.859,8592		570.5705	5-04-504 D	\$578,013.7	\$105E.6112	5444 458 US	\$674,223 S	C 1987/2015	C 165/1195	\$1,044,014.4		\$015,224 K	\$246,280.3		1201,580,15	\$715,584.07	0.00025		5 /97'515\$	M77,112.34	\$278,061 \$		8430,237,5	\$348,004.80	\$35,622,820,19 \$43,787,158,53
		81/103 Marc 20		0 \$1,305,860.55	5225 122 14	6 \$430,170.01					6 \$603,404.30				5 \$657,524,66						5 \$553,907.76	<u> </u>		5 \$280,134.11				2 \$306,791.45		10		4 \$283,867.47		456112844		\$28,690,312,61 \$36,854,548,95
		.70 \$354,496.63	_	20 \$207,968.90		10 \$65,056.66				_	:00 \$92,390.76				50 \$107,241.7		130 \$61,413.0	-		.90 \$66,375.7	ł	~												.70 \$73,252.67	.60 \$66,918.85	
		\$1,611,344.70		\$945,313.20	\$363,741.30	\$296,712.10					8 419,958.00				\$ 487,462.50		\$279,150.30				0	\$592,706.70						n						\$ 332,966.70	\$304,176.60	
		-				12841.452.1					3505,814.0										4 \$464,500.0			1 \$243,822.2				\$260,303.3				5 1236'234' 2		*'862'Y041 0	1-	\$24,061,268 13 \$32,245,504.47
				Ľ	L				<u> </u>	w						6		L			1				-			_			I	L		25 \$61,043.90	50 \$55,765.7	
		~		1	1																						_							00 \$277,472.25	00 \$253,480.50	
		15,630.00	ļ	<u> </u>		L		-							ļ	ļ		-		 78	ļ						_	_	_					al \$15,630.00	or \$15,630.00	
2 Urban Collector	2 Urban Mir Arterial	4 Urban Mir Arterial	1 Urban Loca	4 Urban Collector	1 Rural Loc	1 Urban Collector	2 Urban Lo	1 Rural Loca	1 Rural Loca	1 Rural Loca	2 Rural Minor Collector	1 Rural Loc	1 Rural Local	1 Rural Loca	1 Rural Major Arterial	1 Rural Loc	1 Rural Loca	1 Rural Loca	1 Rural Local	1 Rural Loca	3 Urban Mir Arterial	2 Urban Minor Arterial	2 Urban Collector	1 Rural Loc	1 Rural Loca	1 Rural Local	1 Rural Loca	1 Rural Loca	1 Runal Loca	2 Urban Loca	2 Urban Loca	1 Urban Loca	2 Urban Local	1 Rural Local	1 Rural Major Arterial	
1723.8	1667.2	17570	2139	7831.2	2296.2	1543.8	3052.5			1450.7	3080	1814.4	1330	1558.2	2075	1504	1593.9	2417.8	21/1	1712		6537.9					2566.2		-	1863	-	8		1542.9	1248	
		221			129	93	111					-			125			154	107	201 E	3 72	-					141			6				111	3 78	
	_	49 71.33			331 31.33	530 35.33			875 33.33				85 31.33				104 31.33	403 33.33	77 31.33					50 31.33			47 31.33				_			2055 33.33	2891 43.33	
		AR 24246		DY 9640			2146								272				80			0	0000 13310	*			9656	_								
6004 HALIFAX ROAD	1850 MAIN STREET	1853 NORTH BOULEVAR D	8014 PLATINUM ROAD	8088 LOMBARDY STREET	6042 TUCKER SWAMP ROAD	6070 SUNNYSI ROAD	8001 CAPITOL LANDING RD	6020 ROUTE 063	6066 BROOMLEY ROAD	6084 DRY BRIDGE ROAD	6017 BLACK CAT ROAD	6029 COVE GARDEN ROAD	6041 GILBERT STATION	6044 BURNLEY STATION R	6049 PROFFIL ROAD	6105 WHEELE ROAD	6106 WHEELE ROAD	6124 FREEST. ROAD	6024 GREEN	6045 DOLLY MADISON ROAD	8013 ROUTE I	1811 ROUTE 025	BO12 ROUTE 000	603 ROUTE 099	6449 ROUTE 0876	6124 ROUTE 066	6034 ROUTE 065	6135 ROUTE 075	6025 ROUTE 0638	8002 E. HAWTHORN E ST	8010 WATER STREET	BODS NATIONA AVENUE	BO12 ROUTE 0	COVE ROA	6023 ADEN ROAD	
123	4 127	4 127	4 127	4 127	587 C87	5 109	5 137	6 080	7 002	7 002	4 002	7 002	7 002	7 002	7 002	7 002	7 002	7 002	7 068	2068	104	104	104	8 007	8 007	88 80	8	8 8	8	8 107	8 115	8 132	8 136	620	9 076	
		L		1			L				<u> </u>	L	L								<u> </u>															ļ

Appendix E

17
Alternative

Consideration for the Acquisition of Overpass Structures Only (No Consideration for Underpass Maintenance) State's Cost for Alternative 1A (Assume approx 5 structures per year over 12 years)

 \$29,096,890.34
 \$27,805,771.51
 \$26,514,703.29
 \$23,932,516.24

 (These figures include the added maintenance expenditure for each structure brought in over 50 years) (No percentage of maintenance costs are picked-up by the railroad)

Railroad's fee	Railroad's fees for Alternative 1A					
	10% over 12 years	15% over 12 years	20% over 12 years	30% over 12 years	40% over 12 years	50% over 12 vears
NPW-\$75	\$1,867,373.55	\$2,801,060.33	\$3,734,747.10	\$5,602,120.65	\$7,469,494.20	\$9,336,867.75
06\$-WAN	\$2,224,780.30	\$3,337,170.45	\$4,449,560.60	\$6,674,340.90	\$8,899,121.20	\$11,123,901.50
NPW-\$278	\$2,762,366.94	\$4,143,550.41	\$5,524,733.88	\$8,287,100.82	\$11,049,467.76	\$13,811,834.70
NPW-\$105	\$2,582,187.05	\$3,873,280.57	\$5,164,374.10	\$7,746,561.15	\$10,328,748.20	\$12,910,935.24

	50% over 12 years	\$24,530,942.40	\$28,105,009.90	\$33,480,876.29	\$31,679,077.39
	40% over 12 years	\$24,530,942.40	\$28,105,009.90	\$33,480,876.29	\$31,679,077.39
share)	30% over 12 years	\$24,530,942.40	\$28,105,009.90	\$33,480,876.29	\$31,679,077.39
naintenance, and railroad's	20% over 12 years	\$24,530,942.40	\$28,105,009.90	\$33,480,876.29	\$31,679,077.39
Total Costs for Alternative 1A (Includes initial construction costs, maintenance, and railroad's share)	15% over 12 years	\$24,530,942.40	\$28,105,009.90	\$33,480,876.29	\$31,679,052.09
r Alternative 1A (Includes	10% over 12 years	\$24,530,942.40	\$28,105,009.90	\$33,480,876.29	\$31,679,077.39
Total Costs fc		NPW-\$75	NPW-\$90	NPW-\$278	NPW-\$105

Alternative 1B

Consideration for the Acquisition of Overpass Structures and the Continued Maintenance of Underpasses

State's Cost for Alternative 1B (Assume approx 5 structures per year over 12 years)

(12 years w/50%RR) \$19,725,938.41 \$21,512,972.16 \$24,200,905.36 \$23.300.005.90		50% over 12 years © 336 867 75	\$11,123,901.50	\$13,811,834.70	\$12,910,935.24	E0% over 10 voore	\$29.062.806.16	\$32,636,873.66	\$38,012,740.05	\$36,210,941.15
(12 years w/40%RR) \$21,593,311.96 \$23,737,752.46 \$26,963,272.30 \$25,882.192.95		40% over 12 years ©7 460 404 20	\$6,899,121.20 \$8,899,121.20	\$11,049,467.76	\$10,328,748.20	road's share) 40% over 12 veers	\$29,062,806.16	\$32,636,873.66	\$38,012,740.05	\$36,210,941.15
(12 years w/30%FR) \$23,460,685.51 \$25,962,532.76 \$29,725,639.24 \$28.464.380.00	ight in over 50 years)	30% over 12 years &5 602 120 65	\$6,674,340.90	\$8,287,100.82	\$7,746,561.15	Total Costs for Alternative 1B (Includes initial overpass construction costs, overpass and underpass maintenance, and railroad's share) 10% over 12 years 15 years 12 years 12 years	\$29,062,806.16	\$32,636,873.66	\$38,012,740.05	\$36,210,941.15
5.84 (12 years w/20%RR) 5.84 \$25,328,059.06 3.21 \$28,187,313.06 9.65 \$32,488,006.18 5.27 \$31.046,567.05	These figures include the added maintenance expenditure for each structure brought in over 50 years) No percentage of maintenance costs are picked-up by the railroad) s for Alternative 1B	20% over 12 years \$3 734 747 10	\$4,449,560.60	\$5,524,733.88	\$5,164,374.10	1 costs, overpass and under 20% over 12 vears	\$29,062,806.16	\$32,636,873.66	\$38,012,740.05	\$36,210,941.15
(12 years w/15%RR) \$26,261,745.84 \$29,299,703.21 \$33,869,189.65 \$32.337,635.27	(These figures include the added maintenance expenditure for each (No percentage of maintenance costs are picked-up by the railroad) es for Alternative 1B	15% over 12 years \$2 801 060 33	\$3,337,170.45	\$4,143,550.41	\$3,873,280.57	initial overpass constructior 15% over 12 vears	\$29,062,806.16	\$32,636,873.66	\$38,012,740.05	\$36,210,915.85
(12 years w/10%RR) \$27,195,432.61 \$30,412,093.36 \$35,250,373.12 \$33.628,754.10	(These figures include the a (No percentage of maintena Railroad's fees for Alternative 1B	10% over 12 years \$1 אבד פדפ 53	\$2,224,780.30	\$2,762,366.94	\$2,582,187.05	or Alternative 1B (Includes 10% over 12 vears	\$29,062,806.16	\$32,636,873.66	\$38,012,740.05	\$36,210,941.15
NPW-\$75 NPW-\$76 NPW-\$90 NPW-\$105	(1 (1) Railroad's fee	NPW-\$75	06\$-MdN	NPW-\$278	NPW-\$105	Total Costs fo	NPW-\$75	NPW-\$90	NPW-\$278	NPW-\$105

Alternative 1C

Consideration for the Acquisition of Overpass Structures Over 12 Years and the Immediate Relinquishing of Maintenance Responsibilities for Underpasses

(12 years w/50%RR) \$10,662,210.89 \$12,449,244.64 \$15,137,177.84 \$14,236,278.38	50% over 12 years \$13,868,731.51 \$15,655,765.26 \$18,343,698.46 \$17,442,799.00	50% over 12 years \$24,530,942.40 \$28,105,009.90 \$33,480,876.29 \$31,679,077.39
(12 years w/40%RR) \$12,529,584.44 \$14,674,024.94 \$17,899,544.78 \$16,818,465.43	40% over 12 years \$12,001,357.96 \$13,430,984.96 \$15,581,331.52 \$14,860,611.96	oad's share) 40% over 12 years \$24,530,942.40 \$28,105,009.90 \$33,480,876.29 \$31,679,077.39
(12 years w/30%RR) \$14,396,957.99 \$16,898,805.24 \$20,661,911.72 \$19,400,652.48 ght in over 50 years)	30% over 12 years \$10,133,984.41 \$11,206,204.66 \$12,818,964.58 \$12,278,424.91	Total Costs for Alternative 1C (Includes initial overpass construction costs, overpass and underpass maintenance, and railroad's share)10% over 12 years15% over 12 years20% over 12 years40% overNPW-\$75\$24,530,942.40\$24,530,942.40\$24,530,942.40\$24,530,942.40NPW-\$90\$28,105,009.90\$28,105,009.90\$28,105,009.90\$28,105,009.90NPW-\$278\$33,480,876.29\$33,480,876.29\$33,480,876.29\$33,480,876.29NPW-\$105\$31,679,077.39\$31,679,077.39\$31,679,077.39\$31,679,077.39
for Alternative 1C (Assume approx 5 structures per year over 12 years) (12 years w/10%RR) (12 years w/15%RR) (12 years w/20%RR) (12 years w/30%R \$18,131,705.09 \$17,198,018.32 \$16,264,331.54 \$14,396,957.99 \$21,348,365.84 \$20,235,975.69 \$19,123,585.54 \$16,898,805.24 \$26,186,645.60 \$24,805,462.13 \$23,424,278.66 \$20,661,911.72 \$24,565,026.58 \$23,273,907.75 \$21,982,839.53 \$19,400,652.48 (These figures include the added maintenance expenditure for each structure brought in over 50 years) (No percentage of maintenance costs are picked-up by the railroad)	20% over 12 years \$8,266,610.86 \$8,981,424.36 \$10,056,597.64 \$9,696,237.86	costs, overpass and under 20% over 12 years \$24,530,942,40 \$28,105,009.90 \$33,480,876.29 \$31,679,077.39
State's Cost for Alternative 1C (Assume approx 5 structures per year over 12 years w/2) (12 years w/10%RR) (12 years w/15%RR) (12 years w/2) NPW-\$75 \$18,131,705.09 \$17,198,018.32 \$16,264,33 NPW-\$75 \$18,131,705.09 \$17,198,018.32 \$16,264,33 NPW-\$75 \$18,131,705.09 \$17,198,018.32 \$16,264,33 NPW-\$75 \$21,348,365.84 \$20,235,975.69 \$19,123,58 NPW-\$105 \$22,1386,645.60 \$24,805,462.13 \$23,424,27 NPW-\$105 \$24,565,026.58 \$23,273,907.75 \$21,982,83 NPW-\$105 \$24,565,026.58 \$23,273,907.75 \$21,982,83 (No percentage of maintenance expenditure for each stru (No percentage of maintenance costs are picked-up by the railroad)	15% over 12 years \$7,332,924.09 \$7,869,034.21 \$8,675,144.17 \$8,405,144.33	initial overpass construction 15% over 12 years \$24,530,942.40 \$28,105,009.90 \$33,480,876.29 \$31,679,052.09
rr Alternative 1C (Assume (12 years w/10%RR) \$18,131,705.09 \$21,348,365.84 \$26,186,645.60 \$24,565,026.58 hese figures include the a	Railroad's fees for Alternative 1C 10% over 12 years NPW-\$75 \$6,399,237.31 NPW-\$90 \$6,756,644.06 NPW-\$278 \$7,294,230.70 NPW-\$105 \$7,114,050.81	r Alternative 1C (Includes i 10% over 12 years \$24,530,942.40 \$28,105,009.90 \$33,480,876.29 \$31,679,077.39
State's Cost fo NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105 (T	Railroad's fees NPW-\$75 NPW-\$90 NPW-\$105	Total Costs for NPW-\$75 NPW-\$90 NPW-\$105 NPW-\$105

49

Appendix F

2A
Ne Ne
lati
er
Ait

Alternative 2A (Underpass Maintenance Not Considered) State's Cost

RR=50%	\$20.204.870.40	\$22,509,392,65	\$25,975,696,43	\$24,813,914.89		RB=50%	\$12.040.634.07	\$14.345.156.31	\$17,811,460,10	\$16,649,678.55		RB=50%	\$32.245.504.47	\$36,854,548,95	\$43,787 156 53	\$41,463,593.44
tenance picked-up) RR=40%	\$22,612,997.22	\$25,378,423.91	\$29,537,988.45	\$28,143,850.60		RR=40%	\$9,632,507.25	\$11.476.125.05	\$14,249,168.08	\$13,319,742.84		RR=40%	\$32.245.504.47	\$36,854,548.95	\$43.787.156.53	\$41,463,593.44
y the railroads (no main RR=30%	\$25,021,124.03	\$28,247,455.17	\$33,100,280.47	\$31,473,786.31		RR=30%	\$7,224,380.44	\$8,607,093.78	\$10,686,876.06	\$9,989,807.13		RR=30%	\$32,245,504.47	\$36,854,548.95	\$43.787.156.53	\$41,463,593.44
All overpasses replaced year 0 with various percentages of initial costs picked-up by the railroads (no maintenance picked-up) RR = 10% RR=40% RR=40%	\$27,429,250.84	\$31,116,486.43	\$36,662,572.49	\$34,803,722.02		RR=20%	\$4,816,253.63	\$5,738,062.52	\$7,124,584.04	\$6,659,871.42		RR=20%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
various percentages of RR=15%	\$28,633,314.25	\$32,551,002.06	\$38,443,718.50	\$36,468,689.87		RR=15%	\$3,612,190.22	\$4,303,546.89	\$5,343,438.03	\$4,994,903.56		RR=15%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
s replaced year 0 with RR = 10%	\$29,837,377.66	\$33,985,517.69	\$40,224,864.51	\$38,133,657.73	st	RR = 10%	\$2,408,126.81	\$2,869,031.26	\$3,562,292.02	\$3,329,935.71	Alternative 2A - Total Project Costs	RR = 10%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
All overpasse	NPW-\$75	NPW-\$90	NPW-\$278	NPW-\$105	Railroad's Cost		NPW-\$75	NPW-\$90	NPW-\$278	NPW-\$105	Alternative 2A		NPW-\$75	NPW-\$90	NPW-\$278	NPW-\$105

Alternative 2B

Alternative 2B (Acquisition of Overpasses and Continued Maintenance of Underpasses) State's Cost

RR=50%	\$24,736,734.16	\$27,041,256.41	\$30,507,560.19	\$29,345,778.65		RR=50%	\$12,040,634.07	\$14,345,156.31	\$17,811,460.10	\$16,649,678.55		RR=50%	\$36,777,368.23	\$41,386,412.71	\$48,319,020.29	\$45,995,457.20
enance picked-up) RR=40%	\$27,144,860.98	\$29,910,287.67	\$34,069,852.21	\$32,675,714.36		RR=40%	\$9,632,507.25	\$11,476,125.05	\$14,249,168.08	\$13,319,742.84		RR=40%	\$36,777,368.23	\$41,386,412.71	\$48,319,020.29	\$45,995,457.20
All overpasses replaced year 0 with various percentages of initial costs picked-up by the railroads (no maintenance picked-up) RR = 10% RR=40%	\$29,552,987.79	\$32,779,318.93	\$37,632,144.23	\$36,005,650.07		RR=30%	\$7,224,380.44	\$8,607,093.78	\$10,686,876.06	\$9,989,807.13		RR=30%	\$36,777,368.23	\$41,386,412.71	\$48,319,020.29	\$45,995,457.20
initial costs picked-up by RR=20%	\$31,961,114.60	\$35,648,350.19	\$41,194,436.25	\$39,335,585.78		RR=20%	\$4,816,253.63	\$5,738,062.52	\$7,124,584.04	\$6,659,871.42		RR=20%	\$36,777,368.23	\$41,386,412.71	\$48,319,020.29	\$45,995,457.20
/arious percentages of RR=15%	\$33,165,178.01	\$37,082,865.82	\$42,975,582.26	\$41,000,553.63		RR=15%	\$3,612,190.22	\$4,303,546.89	\$5,343,438.03	\$4,994,903.56		RR=15%	\$36,777,368.23	\$41,386,412.71	\$48,319,020.29	\$45,995,457.20
s replaced year 0 with v RR = 10%	\$34,369,241.42	\$38,517,381.45	\$44,756,728.27	\$42,665,521.49	st	RR = 10%	\$2,408,126.81	\$2,869,031.26	\$3,562,292.02	\$3,329,935.71	Alternative 2B - Total Project Costs	RR = 10%	\$36,777,368.23	\$41,386,412.71	\$48,319,020.29	\$45,995,457.20
All overpasse:	NPW-\$75	06\$-WAN	NPW-\$278	NPW-\$105	Railroad's Cost		NPW-\$75	06\$-WAN	NPW-\$278	NPW-\$105	Alternative 2B		NPW-\$75	06\$-W4N	NPW-\$278	NPW-\$105

ç	S
04in 00	allve
A House	

Alternative 2C (Acquisition of Overpasses and Relinquishing Control of Underpass Maintenance) State's Cost

RR=50%	\$15,673,006.64	\$17,977,528.89	\$21,443,832.67	\$20,282,051.13		RR=50%	\$16,572,497.83	\$18,877,020.07	\$22,343,323.86	\$21,181,542.31		RR=50%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
enance picked-up) RR=40%	\$18,081,133.46	\$20,846,560.15	\$25,006,124.69	\$23,611,986.84		RR=40%	\$14,164,371.01	\$16,007,988.81	\$18,781,031.84	\$17,851,606.60		RR=40%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
the railroads (no maint RR=30%	\$20,489,260.27	\$23,715,591.41	\$28,568,416.71	\$26,941,922.55		RR=30%	\$11,756,244.20	\$13,138,957.54	\$15,218,739.82	\$14,521,670.89		RR=30%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
All overpasses replaced year 0 with various percentages of initial costs picked-up by the railroads (no maintenance picked-up) RR = 10% RR=40%	\$22,897,387.08	\$26,584,622.67	\$32,130,708.73	\$30,271,858.26		RR=20%	\$9,348,117.39	\$10,269,926.28	\$11,656,447.80	\$11,191,735.18		RR=20%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
arious percentages of ir R=15%	\$24,101,450.49	\$28,019,138.30	\$33,911,854.74	\$31,936,826.11		RR=15%	\$8,144,053.98	\$8,835,410.65	\$9,875,301.79	\$9,526,767.32		RR=15%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
: replaced year 0 with v RR = 10%	\$25,305,513.90	\$29,453,653.93	\$35,693,000.75	\$33,601,793.97	ŧ	RR = 10%	\$6,939,990.57	\$7,400,895.02	\$8,094,155.78	\$7,861,799.47	Alternative 2C - Total Project Costs	RR = 10%	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
All overpasses	NPW-\$75	06\$-WAN	NPW-\$278	NPW-\$105	Railroad's Cost		NPW-\$75	06\$-WAN	NPW-\$278	NPW-\$105	Alternative 2C		NPW-\$75	06\$-WGN	NPW-\$278	NPW-\$105

Appendix G

Aaint Paid	837.05	977.09	323.90	117.12		Aaint. Paid	367.42	571.87	332.62	476.31		Aaint. Paid	504.47	548.95	156.53	593.44
25 vears BR Maint Paid	\$23,728,837.05	\$27,876,977.09	\$34,116,323.90	\$32,025,117.12		25 years RR Maint. Paid	\$8,516,667.42	\$8,977,571.87	\$9,670,832.62	\$9,438,476.31		25 vears RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
20 vears RR Maint, Paid	\$24,416,476.59	\$28,564,616.62	\$34,803,963.44	\$32,712,756.66		20 years RR Maint. Paid	\$7,829,027.88	\$8,289,932.33	\$8,983,193.09	\$8,750,836.78		20 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
15 vears RR Maint. Paid	\$25,358,430.02	\$29,506,570.06	\$35,745,916.88	\$33,654,710.09		15 years RR Maint. Paid	\$6,887,074.45	\$7,347,978.90	\$8,041,239.65	\$7,808,883.34		15 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
10 vears RR Maint. Paid	\$26,478,522.37	\$30,626,662.40	\$36,866,009.22	\$34,774,802.44		10 years RR Maint. Paid	\$5,766,982.10	\$6,227,886.55	\$6,921,147.31	\$6,688,791.00		10 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
5 vears RR Maint. Paid	\$28,012,865.26	\$32,161,005.29	\$38,400,352.11	\$36,309,145.33		5 years RR Maint. Paid	\$4,232,639.21	\$4,693,543.66	\$5,386,804.42	\$5,154,448.11		5 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
10% from RR	\$21,673,141.32	\$25,821,281.35	\$32,060,628.17	\$29,969,421.39	ists	10% from RR	\$2,408,126.81	\$2,869,031.26	\$3,562,292.02	\$3,329,935.71	Total Costs for Alternative 3A	10% from RR	\$24,081,268.13	\$28,690,312.61	\$35,622,920.19	\$33,299,357.10
Olale S CUSIS	NPW-\$75	06\$-WAN	NPW-\$278	NPW-\$105	Railroad's Costs		NPW-\$75	06\$-W4N	NPW-\$278	NPW-\$105	Total Costs fo		NPW-\$75	NPW-\$90	NPW-\$278	NPW-\$105

Altenative 3A

59

Alternative 3A (No Consideration for Underpass Maintenance) State's Costs

BB
tive
erna
Alt

Alternative 3B (Consideration for the Acquisition of Overpass Structures and the Continued Maintenance of Underpasses) State's Costs

NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	10% from RR \$26,205,005.08 \$30,353,145.11 \$36,592,491.93 \$34,501,285.15	5 years RR Maint. Paid \$32,544,729.02 \$36,692,869.05 \$42,932,215.87 \$40,841,009.09	10 years RR Maint. Paid \$31,010,386.13 \$35,158,526.16 \$41,397,872.98 \$39,306,666.20	15 years RR Maint. Paid \$29,890,293.78 \$34,038,433.82 \$40,277,780.64 \$38,186,573.85	20 years RR Maint. Paid \$28,948,340.35 \$33,096,480.38 \$39,335,827.20 \$37,244,620.42	25 years RR Maint. Paid \$28,260,700.81 \$32,408,840.85 \$38,648,187.66 \$36,556,980.88
Railroad's Costs NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	sts 10% from RR \$2,408,126.81 \$2,869,031.26 \$3,562,292.02 \$3,329,935.71	5 years RR Maint. Paid \$4,232,639.21 \$4,693,543.66 \$5,386,804.42 \$5,154,448.11	10 years RR Maint. Paid \$5,766,982.10 \$6,227,886.55 \$6,921,147.31 \$6,688,791.00	15 years RR Maint. Paid \$6,887,074.45 \$7,347,978.90 \$8,041,239.65 \$7,808,883.34	20 years RR Maint. Paid \$7,829,027.88 \$8,289,932.33 \$8,983,193.09 \$8,750,836.78	25 years RR Maint. Paid \$8,516,667.42 \$8,977,571.87 \$9,670,832.62 \$9,438,476.31
Total Costs fo NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	Total Costs for Alternative 3B 10% from RR NPW-\$75 \$28,613,131.89 NPW-\$90 \$33,222,176.37 NPW-\$278 \$40,154,783.95 NPW-\$105 \$37,831,220.86	5 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29 \$45,995,457.20	10 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29 \$45,995,457.20	15 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29 \$45,995,457.20	20 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29 \$45,995,457.20	25 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29 \$45,995,457.20

ပ္တ
tive
srna
Alte

Alternative 3C (Consideration for the Acquisition of Overpass Structures and the Relinquishing of Maintenance for Underpasses) State's Costs

NPW-\$75 NPW-\$90	10% trom HH \$17,141,277.56 \$21,289,417.59	5 years RR Maint. Paid \$23,481,001.50 \$27,629,141.53	10 years RR Maint. Paid \$21,946,658.61 \$26,094,798.64	15 years RR Maint. Paid \$20,826,566.26 \$24,974,706.30	20 years RR Maint. Paid \$19,884,612.83 \$24,032,752.86	25 years RR Maint. Paid \$19,196,973.29 \$23,345,113.33
NPW-\$105 NPW-\$105	\$25,437,557.63 \$25,437,557.63	\$33,868,488.35 \$31,777,281.57	\$32,334,145.46 \$30,242,938.68	\$31,214,053.12 \$29,122,846.33	\$30,272,099.68 \$28,180,892.90	\$29,584,460.14 \$27,493,253.36
Railroad's Costs						
	10% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
0/\$-MJN	\$6,939,990.57	\$8,764,5UZ.97	\$10,298,845.86	\$11,418,938.21	\$12,360,891.64	\$13,048,531.18
06\$-M-N	\$7,400,895.02	\$9,225,407.42	\$10,759,750.31	\$11,879,842.66	\$12,821,796.09	\$13,509,435.63
NPW-\$278	\$8,094,155.78	\$9,918,668.18	\$11,453,011.07	\$12,573,103.41	\$13,515,056.85	\$14,202,696.38
NPW-\$105	\$7,861,799.47	\$9,686,311.87	\$11,220,654.76	\$12,340,747.10	\$13,282,700.54	\$13,970,340.07
Total Costs for	Total Costs for Alternative 3C					
	10% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$24,081,268.13	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47
NPW-\$90	\$28,690,312.61	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95
NPW-\$278	\$35,622,920.19	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53
NPW-\$105	\$33,299,357.10	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44

.

Appendix H

4A
tive
erna
Alte

Alternative 4A (No Consideration for Underpass Maintenance) State's Costs

25 years RR Maint. Paid	25 years RR Maint. Paid	25 years RR Maint. Paid
\$22,524,773.65	\$9,720,730.82	\$32,245,504.47
\$26,442,461.46	\$10,412,087.50	\$36,854,548.95
\$32,335,177.89	\$11,451,978.63	\$43,787,156.53
\$30,360,149.27	\$11,103,444.17	\$41,463,593.44
20 years RR Maint. Paid	20 years RR Maint. Paid	20 years RR Maint. Paid
\$23,212,413.18	\$9,033,091.29	\$32,245,504.47
\$27,130,100.99	\$9,724,447.96	\$36,854,548.95
\$33,022,817.43	\$10,764,339.10	\$43,787,156.53
\$31,047,788.80	\$10,415,804.64	\$41,463,593.44
15 years RR Maint. Paid	15 years RR Maint. Paid	15 years RR Maint. Paid
\$24,154,366.62	\$8,091,137.85	\$32,245,504.47
\$28,072,054.43	\$8,782,494.53	\$36,854,548.95
\$33,964,770.87	\$9,822,385.66	\$43,787,156.53
\$31,989,742.24	\$9,473,851.20	\$41,463,593.44
10 years RR Maint. Paid	10 years RR Maint. Paid	10 years RR Maint. Paid
\$25,274,458.96	\$6,971,045.51	\$32,245,504.47
\$29,192,146.77	\$7,662,402.18	\$36,854,548.95
\$35,084,863.21	\$8,702,293.32	\$43,787,156.53
\$33,109,834.58	\$8,353,758.86	\$41,463,593.44
5 years RR Maint. Paid	5 years RR Maint. Paid	5 years RR Maint. Paid
\$26,808,801.85	\$5,436,702.62	\$32,245,504.47
\$30,726,489.66	\$6,128,059.29	\$36,854,548.95
\$36,619,206.10	\$7,167,950.43	\$43,787,156.53
\$34,644,177.47	\$6,819,415.96	\$41,463,593.44
15% from RR \$20,469,077.91 \$24,386,765.72 \$30,279,482.16 \$28,304,453.53	sts 15% from RR \$3,612,190.22 \$4,303,546.89 \$5,343,438.03 \$4,994,903.56	Total Costs for Alternative 4A 15% from RR NPW-\$75 \$24,081,268.13 NPW-\$90 \$28,690,312.61 NPW-\$105 \$33,299,357.10
NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	Railroad's Costs NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	Total Costs fo NPW-\$75 NPW-\$90 NPW-\$105 NPW-\$105

.

4 B
ative
erna
Alt

Alternative 4B (Consideration for the Acquisition of Overpass Structures and the Continued Maintenance of Underpasses) State's Costs

01010 0 00010						
	15% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$25,000,941.67	\$31,340,665.61	\$29,806,322.72	\$28,686,230.38	\$27,744,276.94	\$27,056,637.41
06\$-W4N	\$28,918,629.48	\$35,258,353.42	\$33,724,010.53	\$32,603,918.19	\$31,661,964.75	\$30,974,325.22
NPW-\$278	\$34,811,345.92	\$41,151,069.86	\$39,616,726.97	\$38,496,634.63	\$37,554,681.19	\$36,867,041.65
NPW-\$105	\$32,836,317.29	\$39,176,041.23	\$37,641,698.34	\$36,521,606.00	\$35,579,652.56	\$34,892,013.03
Railroad's Costs	sts					
	15% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$3,612,190.22	\$5,436,702.62	\$6,971,045.51	\$8,091,137.85	\$9,033,091.29	\$9,720,730.82
06\$-WJN	\$4,303,546.89	\$6,128,059.29	\$7,662,402.18	\$8,782,494.53	\$9,724,447.96	\$10,412,087.50
NPW-\$278	\$5,343,438.03	\$7,167,950.43	\$8,702,293.32	\$9,822,385.66	\$10,764,339.10	\$11,451,978.63
NPW-\$105	\$4,994,903.56	\$6,819,415.96	\$8,353,758.86	\$9,473,851.20	\$10,415,804.64	\$11,103,444.17
Total Costs fo	Total Costs for Alternative 4B					
	15% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$28,613,131.89	\$36,777,368.23	\$36,777,368.23	\$36,777,368.23	\$36,777,368.23	\$36,777,368.23
06\$-W4N	\$33,222,176.37	\$41,386,412.71	\$41,386,412.71	\$41,386,412.71	\$41,386,412.71	\$41,386,412.71
NPW-\$278	\$40,154,783.95	\$48,319,020.29	\$48,319,020.29	\$48,319,020.29	\$48,319,020.29	\$48,319,020.29
NPW-\$105	\$37,831,220.86	\$45,995,457.20	\$45,995,457.20	\$45,995,457.20	\$45,995,457.20	\$45,995,457.20

40
ative
erna
Atte

Alternative 4C (Consideration for the Acquisition of Overpass Structures and the Relinquishing of Maintenance for Underpasses) State's Costs

NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	15% from RR \$15,937,214.15 \$19,854,901.96 \$25,747,618.40 \$23,772,589.77	5 years RR Maint. Paid \$22,276,938.09 \$26,194,625.90 \$32,087,342.34 \$30,112,313.71	10 years RR Maint. Paid \$20,742,595.20 \$24,660,283.01 \$30,552,999.45 \$28,577,970.82	15 years RR Maint. Paid \$19,622,502.86 \$23,540,190.67 \$29,432,907.11 \$27,457,878.48	20 years RR Maint. Paid \$18,680,549.42 \$22,598,237.23 \$28,490,953.67 \$26,515,925.04	25 years RR Maint. Paid \$17,992,909.89 \$21,910,597.70 \$27,803,314.13 \$25,828,285.51
Railroad's Costs NPW-\$75 NPW-\$90 NPW-\$105 NPW-\$105	sts 15% from RR \$8,144,053.98 \$8,835,410.65 \$9,875,301.79 \$9,526,767.32	5 years RR Maint. Paid \$9,968,566.38 \$10,659,923.05 \$11,699,814.19 \$11,351,279.72	10 years RR Maint. Paid \$11,502,909.27 \$12,194,265.94 \$13,234,157.08 \$12,885,622.62	15 years RR Maint. Paid \$12,623,001.61 \$13,314,358.29 \$14,354,249.42 \$14,005,714.96	20 years RR Maint. Paid \$13,564,955.05 \$14,256,311.72 \$15,296,202.86 \$14,947,668.40	25 years RR Maint. Paid \$14,252,594.58 \$14,943,951.26 \$15,983,842.39 \$15,635,307.93
Total Costs fo NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	Total Costs for Alternative 4C 15% from RR NPW-\$75 \$24,081,268.13 NPW-\$90 \$28,690,312.61 NPW-\$278 \$35,622,920.19 NPW-\$105 \$33,299,357.10	5 years RR Maint. Paid \$32,245,504.47 \$36,854,548.95 \$43,787,156.53 \$41,463,593.44	10 years RR Maint. Paid \$32,245,504.47 \$36,854,548.95 \$43,787,156.53 \$41,463,593.44	15 years RR Maint. Paid \$32,245,504.47 \$36,854,548.95 \$43,787,156.53 \$41,463,593.44	20 years RR Maint. Paid \$32,245,504.47 \$36,854,548.95 \$43,787,156.53 \$41,463,593.44	25 years RR Maint. Paid \$32,245,504.47 \$36,854,548.95 \$43,787,156.53 \$41,463,593.44

Appendix I

5A
tive
rna
Alte

Alternative 5A (No Consideration for Underpass Maintenance) State's Costs

01010 0 00010						
	20% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 vears RR Maint. Paid
NPW-\$75	\$19,265,014.51	\$25,604,738.45	\$24,070,395.55		\$22,008,349.77	\$21,320,710.24
NPW-\$90	\$22,952,250.09	\$29,291,974.03	\$27,757,631.14	\$26,637,538.80	\$25,695,585.36	\$25,007,945.83
NPW-\$278	\$28,498,336.15	\$34,838,060.09	\$33,303,717.20	\$32,183,624.86	\$31,241,671.42	\$30,554,031.89
NPW-\$105	\$26,639,485.68	\$32,979,209.62	\$31,444,866.73	\$30,324,774.38	\$29,382,820.95	\$28,695,181.41
Railroad's Costs	sts					
	20% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 vears RR Maint. Paid	20 vears RR Maint. Paid	25 vears RR Maint. Paid
NPW-\$75	\$4,816,253.63	\$6,640,766.02	\$8,175,108.92	\$9,295,201.26		\$10,924,794.23
06\$-WJN	\$5,738,062.52	\$7,562,574.92	\$9,096,917.81	\$10,217,010.16	\$11,158,963.59	\$11,846,603.13
NPW-\$278	\$7,124,584.04	\$8,949,096.44	\$10,483,439.33	\$11,603,531.67	\$12,545,485.11	\$13,233,124.64

NPW-\$90 NPW-\$278

۲	N		Paid	7	5	<i>с</i>	4
	\$12,768,412.02		25 years RR Maint	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
	\$12,080,772.49		20 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
	\$11,138,819.05		15 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
	\$10,018,726.71		10 years RR Maint. Paid 15 years RR Maint. Paid 20 years RR Maint. Paid 25 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
	\$8,484,383.82		5 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
	\$6,659,871.42	Total Costs for Alternative 5A	20% from RR	\$24,081,268.13	\$28,690,312.61	\$35,622,920.19	\$33,299,357.10
	NPW-\$105	Total Costs for		NPW-\$75	NPW-\$90	NPW-\$278	NPW-\$105

5B
tive
rna
Alte

Alternative 5B (Consideration for the Acquisition of Overpass Structures and the Continued Maintenance of Underpasses) State's Costs

years RR Maint. Paid 20 years RR Maint. Paid 25 years RR Maint. Paid \$27,482,166.97 \$26,540,213.53 \$25,852,574.00 \$31,169,402.56 \$30,227,449.12 \$29,539,809.59 \$36,715,488.62 \$35,773,535.18 \$35,085,895.65 \$34,856,638.14 \$33,914,684.71 \$33,227,045.17	i years RR Maint. Paid 20 years RR Maint. Paid 25 years RR Maint. Paid 89,295,201.26 \$10,237,154.70 \$10,924,794.23 \$10,217,010.16 \$11,158,963.59 \$11,846,603.13 \$11,603,531.67 \$12,545,485.11 \$13,233,124.64 \$11,138,819.05 \$12,080,772.49 \$12,768,412.02	20 y
20 years RR Maint. Pa \$26,540,213.53 \$30,227,449.12 \$35,773,535.18 \$33,914,684.71	20 years RR Maint. Pa \$10,237,154.70 \$11,158,963.59 \$12,545,485.11 \$12,080,772.49	20 years RR Maint. Pa \$36,777,368.23 \$41,386,412.71 \$48,319,020.29
15 years RR Maint. Paid \$27,482,166.97 \$31,169,402.56 \$36,715,488.62 \$34,856,638.14	15 years RR Maint. Paid \$9,295,201.26 \$10,217,010.16 \$11,603,531.67 \$11,138,819.05	15 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29
10 years RR Maint. Paid \$28,602,259.31 \$32,289,494.90 \$37,835,580.96 \$35,976,730.49	10 years RR Maint. Paid \$8,175,108.92 \$9,096,917.81 \$10,483,439.33 \$10,018,726.71	10 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29
5 years RR Maint. Paid \$30,136,602.21 \$33,823,837.79 \$39,369,923.85 \$37,511,073.38	5 years RR Maint. Paid \$6,640,766.02 \$7,562,574.92 \$8,949,096.44 \$8,484,383.82	5 years RR Maint. Paid \$36,777,368.23 \$41,386,412.71 \$48,319,020.29
20% from RR \$23,796,878.27 \$27,484,113.85 \$33,030,199.91 \$31,171,349.44	sts 20% from RR \$4,816,253.63 \$5,738,062.52 \$7,124,584.04 \$6,659,871.42	Total Costs for Alternative 5B 20% from RR NPW-\$75 \$28,613,131.89 NPW-\$278 \$40,154,783.95
NPW-\$75 NPW-\$90 NPW-\$278 NPW-\$105	Railroad's Costs NPW-\$75 NPW-\$90 NPW-\$105 NPW-\$105	Total Costs fo NPW-\$75 NPW-\$90 NPW-\$278

Alternative 5C

Altermative 5C (Consideration for the Acquisition of Overpass Structures and the Relinquishing of Maintenance for Underpasses) State's Costs

25 years RR Maint. Paid \$16,788,846.48 \$20,476,082.07 \$26,022,168.13	\$24,163,317.65	25 vears RR Maint. Paid	\$15,456,657.99	\$16,378,466.89	\$17,764,988.40	\$17,300,275.78		25 vears RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
20 years RR Maint. Paid \$17,476,486.01 \$21,163,721.60 \$26,709,807.66	\$24,850,957.19	20 vears RR Maint. Paid	\$14,769,018.46	\$15,690,827.35	\$17,077,348.87	\$16,612,636.25		20 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
15 years RR Maint. Paid \$18,418,439.45 \$22,105,675.04 \$27,651,761.10	\$25,792,910.62	15 years RR Maint. Paid	\$13,827,065.02	\$14,748,873.92	\$16,135,395.43	\$15,670,682.81		15 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
10 years RR Maint. Paid \$19,538,531.79 \$23,225,767.38 \$28,771,853.44	\$26,913,002.97	10 years RR Maint. Paid	\$12,706,972.68	\$13,628,781.57	\$15,015,303.09	\$14,550,590.47		10 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
5 years RR Maint. Paid \$21,072,874.69 \$24,760,110.27 \$30,306,196.33	\$28,447,345.86	5 years RR Maint. Paid	\$11,172,629.78	\$12,094,438.68	\$13,480,960.20	\$13,016,247.58		5 years RR Maint. Paid	\$32,245,504.47	\$36,854,548.95	\$43,787,156.53	\$41,463,593.44
20% from RR \$14,733,150.75 \$18,420,386.33 \$23,966,472.39	\$22,107,621.92 sts	20% from RR	\$9,348,117.39	\$10,269,926.28	\$11,656,447.80	\$11,191,735.18	Total Costs for Alternative 5C	20% from RR	\$24,081,268.13	\$28,690,312.61	\$35,622,920.19	\$33,299,357.10
NPW-\$75 NPW-\$90 NPW-\$278	NPW-\$105 Railroad's Costs		NPW-\$75	06\$-WAN	NPW-\$278	NPW-\$105	Total Costs fo		NPW-\$75	06\$-WAN	NPW-\$278	NPW-\$105

Appendix J

6A
tive
rna
Alte

Alternative 6A

(No Consideration for Underpass Maintenance) State's Costs

25% from RR

	25% from BB	5 vears BB Maint Daid	10 wears BB Maint Daid	15 veare BD Maint Daid	20 wears BB Maint Daid	Of veste DD Maint Daid
					20 years n'n Mairit. Faiu	20 years nn Inidiill. Faiu
9/3-WJN	\$18,060,951.10	\$24,400,675.04	\$22,866,332.15	\$21,746,239.80	\$20,804,286.37	\$20,116,646.83
NPW-\$90	\$21,517,734.46	\$27,857,458.40	\$26,323,115.51	\$25,203,023.17	\$24,261,069.73	\$23,573,430.19
NPW-\$278	\$26,717,190.14	\$33,056,914.08	\$31,522,571.19	\$30,402,478.85	\$29,460,525.41	\$28,772,885.88
NPW-\$105	\$24,974,517.82	\$31,314,241.76	\$29,779,898.87	\$28,659,806.53	\$27,717,853.09	\$27,030,213.56
Railroad's Costs	sts					
	25% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$6,020,317.03	\$7,844,829.43	\$9,379,172.32	\$10,499,264.67	\$11,441,218.10	\$12,128,857.64
06\$-WJN	\$7,172,578.15	\$8,997,090.55	\$10,531,433.44	\$11,651,525.79	\$12,593,479.22	\$13,281,118.76
NPW-\$278	\$8,905,730.05	\$10,730,242.45	\$12,264,585.34	\$13,384,677.68	\$14,326,631.12	\$15,014,270.65
NPW-\$105	\$8,324,839.27	\$10,149,351.67	\$11,683,694.57	\$12,803,786.91	\$13,745,740.35	\$14,433,379.88
Total Costs fo	Total Costs for Alternative 6A					
	25% from RR	5 vears RR Maint. Paid	10 vears RR Maint. Paid	15 vears RR Maint. Paid	20 vears RR Maint. Paid	25 vears RR Maint. Paid
NPW-\$75	\$24,081,268.13	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47
06\$-WJN	\$28,690,312.61	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95
NPW-\$278	\$35,622,920.19	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53
NPW-\$105	\$33,299,357.10	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44
						•

Alternative 6B

Alternative 6B (Consideration for the Acquisition of Overpass Structures and the Continued Maintenance of Underpasses) State's Costs

	25% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$22,592,814.86	\$28,932,538.80	\$27,398,195.91	\$26,278,103.56	\$25,336,150.13	\$24,648,510.59
NPW-\$90	\$26,049,598.22	\$32,389,322.16	\$30,854,979.27	\$29,734,886.93	\$28,792,933.49	\$28,105,293.95
NPW-\$278	\$31,249,053.90	\$37,588,777.84	\$36,054,434.95	\$34,934,342.61	\$33,992,389.17	\$33,304,749.64
NPW-\$105	\$29,506,381.58	\$35,846,105.52	\$34,311,762.63	\$33,191,670.29	\$32,249,716.85	\$31,562,077.32
Railroad's Costs	sts					
	25% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 vears RR Maint. Paid
NPW-\$75	\$6,020,317.03	\$7,844,829.43	\$9,379,172.32	\$10,499,264.67	\$11,441,218.10	\$12,128,857.64
06\$-WJN	\$7,172,578.15	\$8,997,090.55	\$10,531,433.44	\$11,651,525.79	\$12,593,479.22	\$13,281,118.76
NPW-\$278	\$8,905,730.05	\$10,730,242.45	\$12,264,585.34	\$13,384,677.68	\$14,326,631.12	\$15,014,270.65
NPW-\$105	\$8,324,839.27	\$10,149,351.67	\$11,683,694.57	\$12,803,786.91	\$13,745,740.35	\$14,433,379.88
tal Costs fo	Total Costs for Alternative 6B					
	25% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 vears RR Maint. Paid
NPW-\$75	\$28,613,131.89	\$36,777,368.23	\$36,777,368.23	\$36,777,368.23	\$36,777,368.23	\$36,777,368.23
06\$-MdN	\$33,222,176.37	\$41,386,412.71	\$41,386,412.71	\$41,386,412.71	\$41,386,412.71	\$41,386,412.71
NPW-\$278	\$40,154,783.95	\$48,319,020.29	\$48,319,020.29	\$48,319,020.29	\$48,319,020.29	\$48,319,020.29
NPW-\$105	\$37,831,220.86	\$45,995,457.20	\$45,995,457.20	\$45,995,457.20	\$45,995,457.20	\$45,995,457.20

ပ္တ
tive
rna
Alte

Alternative 6C (Consideration for the Acquisition of Overpass Structures and the Relinquishing of Maintenance for Underpasses) State's Costs

	25% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$13,529,087.34	\$19,868,811.28	\$18,334,468.39	\$17,214,376.04	\$16,272,422.61	\$15,584,783.07
06\$-WJN	\$16,985,870.70	\$23,325,594.64	\$21,791,251.75	\$20,671,159.41	\$19,729,205.97	\$19,041,566.43
NPW-\$278	\$22,185,326.38	\$28,525,050.32	\$26,990,707.43	\$25,870,615.09	\$24,928,661.65	\$24,241,022.12
NPW-\$105	\$20,442,654.06	\$26,782,378.00	\$25,248,035.11	\$24,127,942.77	\$23,185,989.33	\$22,498,349.80
Railroad's Costs	sts					
	25% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$10,552,180.79	\$12,376,693.19	\$13,911,036.08	\$15,031,128.43	\$15,973,081.86	\$16,660,721.40
06\$-WJN	\$11,704,441.91	\$13,528,954.31	\$15,063,297.20	\$16,183,389.55	\$17,125,342.98	\$17,812,982.52
NPW-\$278	\$13,437,593.81	\$15,262,106.21	\$16,796,449.10	\$17,916,541.44	\$18,858,494.88	\$19,546,134.41
NPW-\$105	\$12,856,703.03	\$14,681,215.43	\$16,215,558.33	\$17,335,650.67	\$18,277,604.11	\$18,965,243.64
Total Costs fc	Total Costs for Alternative 6C					
	25% from RR	5 years RR Maint. Paid	10 years RR Maint. Paid	15 years RR Maint. Paid	20 years RR Maint. Paid	25 years RR Maint. Paid
NPW-\$75	\$24,081,268.13	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47	\$32,245,504.47
06\$-WJN	\$28,690,312.61	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95	\$36,854,548.95
NPW-\$278	\$35,622,920.19	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53	\$43,787,156.53
NPW-\$105	\$33,299,357.10	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44	\$41,463,593.44